




Home  
Work  
Outdoor  
Gift  
Domotics  
Battery



Catalogo generale 2015  
**LUCE AUTONOMA**

[WWW.VELAMP.COM](http://WWW.VELAMP.COM)





## Une histoire Italienne

VELAMP est née en 1972. C'est l'acronyme de VENEGONO LAMPADE, ville de la grande usine de matériels agricoles FRATELLI PAGANI spa. Née en 1906, les industries FRATELLI PAGANI, ont accompagné le développement industriel de l'Italie depuis le début du siècle dernier.

Première usine de batterie en Italie, la Compagnie lance et développe la première lampe portable au Monde. C'est le début d'une longue série d'innovations dans le domaine de la lumière « portée » :

- Invention de la première lampe torche.
- Création de la première lampe anti black-out
- Invention de la lampe frontale
- Invention de la lampe dynamo.

Le siège actuel de VELAMP INDUSTRIE, présente une superbe exposition des produits VELAMP depuis le début de l'aventure en 1906. Les usines FRATELLI PAGANI, seront totalement détruites en 1943, par les bombardements des forces alliées. Après la seconde guerre mondiale, l'Italie est en pleine reconstruction, comme une grande partie de l'Europe. C'est la période du « Miracle Italien », le pays connaît un boom économique incroyable et les industries FRATELLI PAGANI, se lancent dans la production entre autre de lampes torche et lampes professionnelles pour les plus grandes marques du marché : Philips, Varta, Duracell, Rayovac...

VELAMP a été créée dans le but de permettre à l'entreprise de distribuer ses produits sous sa marque sur le marché Italien. Depuis ce moment, VELAMP n'a cessé de créer et d'innover dans le domaine de la lampe portable. Pionnier sur son marché, VELAMP a toujours adapté ses produits aux évolutions techniques (Ex : arrivée des ampoules LED...) et anticipé la demande des consommateurs avec des produits designs et innovants. Aujourd'hui, l'entreprise VELAMP INDUSTRIES, propriétaire de la marque

VELAMP entend bien poursuivre cette formidable histoire industrielle en offrant une gamme de lumières portables et de services dans les cinq principaux domaines d'application de son marché :

- Lumières pour la maison (HOME LIGHTING)
- Lumières pour les professionnels (WORK)
- Lumières pour l'extérieur (OUTDOOR)
- Lumières pour les produits promotionnels et les cadeaux d'entreprises (GIFT and PROMO)
- Piles et batteries (BATTERY)

La force de ses valeurs (solidarité, progrès et performance), fait de VELAMP un acteur majeur de son marché, responsable et avant-gardiste pour toujours.







# Una storia italiana



VELAMP nasce nel 1972 come acronimo di VENEGONO LAMPADE, sito della maggiore unità produttiva dell'allora Fratelli Pagani Spa. Nata nel 1906, la Fratelli Pagani ha accompagnato l'evoluzione dell'Italia lungo tutto il secolo.

Prima fabbrica di batterie nel Bel Paese, l'azienda cominciò ad investire per sviluppare le prime lampade portatili. Cominciò una lunga serie di innovazioni ancora in uso:

- Nascita del primo astuccio
- Nascita della prima lampada antiblack-out
- Creazione della prima lampada da testa
- Invenzione della lampada a dinamo.

Fratelli Pagani accompagnò anche la Storia del paese: produttore per le forze armate, il suo principale stabilimento fu rasato al suolo nel 1943 dai bombardieri anglo-americani. Dopo guerra l'azienda si reinventò e seguendo il miracolo italiano cominciò a produrre lampade portatili principalmente per i nomi più conosciuti del mestiere: Duracell, Rayovac, Varta, Philips.... VELAMP fu creata per dare un marchio italiano all'azienda.

Da allora VELAMP ha continuato ad evolvere ed innovare per dare delle risposte sempre più nuove ai bisogni di lighting portatile dei consumatori. Pioniere sul mercato, VELAMP ha sempre saputo interpretare le rivoluzioni tecniche (sviluppo del sub, arrivo del LED...) per anticipare il mercato e proporre prodotti sempre più design ed efficienti.

Oggi, VELAMP INDUSTRIES SRL, proprietario del marchio VELAMP, intende continuare questa storia proponendo dei prodotti di illuminazione portatile e di complemento per 5 principali famiglie di prodotti:

- Illuminazione per la casa
- Illuminazione per il lavoro e l'hobbistica
- Illuminazione per l'esterno
- Illuminazione per il gift & premium
- Batterie

Forte dei suoi valori: Solidarietà, Progresso, Performance, VELAMP si propone come un attore fondamentale del mercato: responsabile e all'avanguardia. Sempre.



VELAMP was born in 1972 as an acronym of VENEGONO LAMPADE, town of the biggest production plant of former Fratelli Pagani Spa. Founded in 1906, Fratelli Pagani has accompanied the evolution of Italy throughout the century.

First battery factory in Italy, the firm started to invest and developed the first portable lamps. So started a long series of innovative products that will still use everyday:

- Invention of the first flashlight
- Creation of the first anti black-out lamp
- Invention of the first headlamp
- Invention of dynamo lamp

Fratelli Pagani was an actor in Italian History: as a supplier of the Italian armed forces its main factory was totally destroyed by the anglo-american bombings in 1943. After WWII the Company started its business from scratch and following the "Italian Miracle" produced portable lamps, mainly for the major actors of the market: Duracell, Rayovac, Varta, Philips....

VELAMP was created with the aim to give an Italian brand to the Company.


From this moment on VELAMP has continued to evolve and innovate, so as to give answers to the always renewed needs for portable lighting. Pioneer on its market, VELAMP has always known how to interpret the technical evolutions (development of scuba diving, invention of the LED...) to anticipate the market and offer design and innovative products.

Today, VELAMP INDUSTRIES SRL, owner of the VELAMP brand, intends to continue this story, offering portable and service lighting for 5 major applications:

- Home lighting
- Hobby and Work lighting
- Outdoor lighting
- Gift & Premium lighting
- Batteries

The strength of its values (Solidarity, Progress, Performance) makes VELAMP a fundamental actor on this market: responsible and one step ahead. Always.

# ... e il concetto di marketing





## HOME

ASTUCCI *Pocket lamp / Lampes de poches*

TORCE USO DOMESTICO *Flashlight for domestic use / Lampes torches pour usage domestique*

FARI USO DOMESTICO *Spotlights for domestic use / Phares pour usage domestique*

LUCI DI COMPLEMENTO *Complement lighting / Lumières de complément*

LUCI DA LETTURA *Reading lights / Lampes de lecture*

LUCI DI SICUREZZA PORTATILI *Portable emergency lamps / Lampes de secours portatives*

LUCI DI SICUREZZA FISSE *Wall emergency lamps / Blocs de secours*

## WORK

TORCE E ASTUCCI USO PROFESSIONALE *Professional pocket lamps and flashlight / Lampes de poche et torches professionnelles*

FARI USO PROFESSIONALE *Professional spotlights / Phares pour usage professionnel*

LAMPADE DA LAVORO *Worklights / Lampes de travail portatives*

LUCI DI ISPEZIONE *Inspection lights / Lumières d'inspection*

CANTIERISTICA - LAMPEGGIANTI *Blinking road lights / Lumières de chantier*

USB *USB / USB*

## OUTDOOR

TORCE USO OUTDOOR *Flashlight for leisure and outdoor purpose / Lampes torches pour usage extérieur et loisirs*

LANTERNE *Camping lamps / Lanternes*

FARI USO OUTDOOR *Spotlights for leisure and outdoor purpose / Phares pour usage extérieur et loisirs*

HEADLAMP *Headlamp / Lumières frontales*

SPORT *Sports / Sports*

SOLARE & AUTONOMO *Solar and autonomous lighting / Éclairage solaire et autonome*

CANDELE *LED Candles / Bougies LED*

LUMINI VOTIVI *Votive lights / Lumières votives*

## GIFT&PROMO

PORTACHIAVI *Keychains / Porte-clefs*

## DOMOTICS

VETECH *Domotica / Domotics / Domotique*

## BATTERIES

ZINCO CARBONE *Zinc-Carbhone / Zinc-carbon*

ALCALINE *Alkaline / Alkaline*

LITIO *Lithium / Lithium*

RICARICABILI *Rechargeable / Rechargeables*

TESTER PER BATTERIE *Battery Tester / Multimètres*

CARICABATTERIE *Battery chargers / Chargeurs de batterie*

BATTERIE AL PIOMBO RICARICABILI *Rechargeable lead acid batteries / Batteries au plomb rechargeables*

MULTIMETRI DIGITALI

TRASFORMATORI UNIVERSALI *Universal transformer / Transformateurs universels*

CERCAFASE *Voltage tester / Testeur de voltage*

ESPOSITORI *Display / Présentoirs*

#### LEGENDA SIMBOLI CONTENUTI NELLE TABELLE INFORMATIVE DEI PRODOTTI

|                                                                                     |                                                                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|  | <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière |
|  | <b>Lumen</b> / Lumen / Lumen                                                |
|  | <b>Portata</b> / Range / Distance d'éclairage                               |
|  | <b>Autonomia</b> / Runtime / Autonomie                                      |
|  | <b>Fascio di luce</b> / Light beam / Type de faisceau                       |
|  | <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                |
|  | <b>Batteria</b> / Battery / Batterie                                        |
|  | <b>Materiale</b> / Material / Matériau                                      |
|  | <b>Accessori</b> / Accessories / Accessoires                                |
| <b>IP</b>                                                                           | <b>Grado di protezione</b> / Protection degree / Degré de protection        |
|  | <b>Alimentazione</b> / Power supply / Alimentation                          |
| N/S                                                                                 | <b>Non significativo</b> / Not significant / Non significatif               |





# Home



# Home

ASTUCCI

Pocket lamp / Lampes de poches

## IL17LED - DOBLE

Pochet lamp 2 in 1  
2 in 1 pocket lamp  
Lampe de poche 2 en 1

IL17LED



| COD.    |               |       |      |                                          |                     |                  |                            |     |                                       |
|---------|---------------|-------|------|------------------------------------------|---------------------|------------------|----------------------------|-----|---------------------------------------|
| IL17LED | 4+6 Super LED | 10 Lm | 8 mt | 3 ore/hrs - 6 LED<br>3,5 ore/hrs - 4 LED | Focus/Diffuse light | 112 x 27 x 22 mm | 2 x AAA/LR03 (non include) | ABS | Clip + cinturino<br>Clip + wrist band |

## ID70E - LANTERNETTE

Mini astuccio luminoso  
Mini pocket lamp  
Lampe de poche

ID70E



FULL  
METAL  
JACKET

| COD.  |                    |       |       |           |               |                  |                    |       |
|-------|--------------------|-------|-------|-----------|---------------|------------------|--------------------|-------|
| ID70E | 20294 3,6V - 0,3 A | 14 Lm | 25 mt | 6 ore/hrs | Diffuse light | 66 x 112 x 30 mm | 3R12 (non include) | Metal |





Home

**D63 - COMPACT**

Mini astuccio luminoso

Mini pocket lamp

Lampe de poche

D63



| COD.       |                  |       |       |            |               |                  |                            |        | +                                                            |
|------------|------------------|-------|-------|------------|---------------|------------------|----------------------------|--------|--------------------------------------------------------------|
| <b>D63</b> | 1 super LED 0,5W | 12 Lm | 15 mt | 50 ore/hrs | Diffuse Light | 100 x 59 x 36 mm | 3 x AAA/LR03 (non include) | ABS/AL | Gancio a scomparsa<br>Piedino regolabile<br>Focus regolabile |

**D65 - POCKET TRIS**

Luce di servizio 21 LED

Service light

Lampe de poche intelligente

D65



| COD.       |              |       |      |            |               |                  |                            |                           | +      |
|------------|--------------|-------|------|------------|---------------|------------------|----------------------------|---------------------------|--------|
| <b>D65</b> | 21 Super LED | 12 Lm | 5 mt | 20 ore/hrs | Diffuse light | 130 x 63 x 33 mm | 4 x AAA/LR03 (non include) | ABS housing<br>Nylon hook | Gancio |

**TORCE USO DOMESTICO RICARICABILI****IS495 - POCKET LED**

Torcia LED tascabile e ricaricabile

Rechargeable LED flashlight

Torche rechargeable LED

IS495



| COD.         |                       |       |      |           |             |                  |               |     |
|--------------|-----------------------|-------|------|-----------|-------------|------------------|---------------|-----|
| <b>IS490</b> | 1 High Power LED 0,5W | 25 Lm | 30 m | 5 ore/hrs | Focus Light | 135 x 65 x 70 mm | Pb 4V 400 mAh | ABS |





# Home

## TORCE USO DOMESTICO

Flashlights for domestic use / Lampes torches pour usage domestique

### 4411-TORCIA LED

Torcia di plastica 1 LED  
Mini pocket lamp  
Lampe torche plastique

4411



### 4403C - MINITORCIA

Mini torcia in alluminio 5 LED  
5 LED aluminium mini flashlight  
Mini-lampe torche aluminium

4403C



| COD. |       |      |      |              |             |               |                            |     |                      |
|------|-------|------|------|--------------|-------------|---------------|----------------------------|-----|----------------------|
| 4411 | 1 LED | 6 Lm | 5 mt | 10 ore/hrs   | Focus light | 150 x 40 ø mm | 2 x AA/LR6 (non incluse)   | ABS | Cinturino/Wrist band |
| 4403 | 5 LED | 5 Lm | 3 mt | 34,5 ore/hrs | Focus light | 88 x 27 ø mm  | 3 x AAA/LR03 (non incluse) | AL  | Cinturino/Wrist band |

### D68 - TULIP

Torcia LED in ABS  
ABS LED flashlight  
Lampe torche LED en ABS

D68



12 pcs  
DISPLAY



| COD. |                       |       |       |             |             |              |                             |     |                      |
|------|-----------------------|-------|-------|-------------|-------------|--------------|-----------------------------|-----|----------------------|
| D68  | 1 High power LED 0,5W | 30 Lm | 20 mt | >15 ore/hrs | Focus Light | 95 x 31 ø mm | 3 x AAA/ LR03 (non incluse) | ABS | Cinturino/Wrist band |

## TORCE USO DOMESTICO

Flashlights for domestic use / Lampes torches pour usage domestique

### IN238 - ACID

Torcia metallica 1 LED con clip  
1 LED metal flashlight with clip  
Torche métallique 1 LED avec clip

IN238



20 pcs  
DISPLAY




| COD.  |                         |       |       |            |             |             |                          |    |           |
|-------|-------------------------|-------|-------|------------|-------------|-------------|--------------------------|----|-----------|
| IN238 | 1 High power LED - 0,5W | 20 Lm | 20 mt | 30 ore/hrs | Focus light | 95 x ø20 mm | 1 x AA/LR6 (non include) | AL | Clip/Clip |

### IN239 - LIPSTICK LED

Torcia metallica 1 LED  
1 LED metal flashlight  
Torche métallique 1 LED

IN239



| COD.  |                           |       |      |            |             |                  |                          |    |                      |
|-------|---------------------------|-------|------|------------|-------------|------------------|--------------------------|----|----------------------|
| IN239 | 1 High power LED - 0,12 W | 12 Lm | 10 m | 10 ore/hrs | Focus light | 95,5 x ø 20,5 mm | 1 x AA/LR6 (non include) | AL | Cinturino/Wrist band |

### IP04 - IMPULSE

Torcia metallica LED 3W  
3W LED metal flashlight  
Torche LED 3W métallique

IP04



3W  
LED

| COD. |                       |       |       |             |             |             |                            |           |    |
|------|-----------------------|-------|-------|-------------|-------------|-------------|----------------------------|-----------|----|
| IP04 | 1 LED - 3W High power | 80 Lm | 100 m | >17 ore/hrs | Focus Light | 49ø x 165mm | 3 x AAA/LR03 (non include) | Alluminio | IP |





# Home

**TORCE USO DOMESTICO**  
Flashlights for domestic use / Lampes torches pour usage domestique

## RUBBER

Torcia rubber  
Rubber flashlight  
Torche en caoutchouc

**IRUB1**



**IRUB1BULK**



**IRUB2**



**IRUB3**



| COD.             |                   |       |       |              |               |               |                          |        | +                    |
|------------------|-------------------|-------|-------|--------------|---------------|---------------|--------------------------|--------|----------------------|
| <b>IRUB1</b>     | 23801 2.2 - 0.7A  | 7 Lm  | 8 mt  | 3 ore/hrs    | Diffuse light | 150 x 42ø mm  | 2 x AA/LR6 (non include) | Rubber | Cinturino/Wrist band |
| <b>IRUB1BULK</b> | 23801 2.2 - 0.7A  | 7 Lm  | 8 mt  | 3 ore/hrs    | Diffuse light | 150 x 42ø mm  | 2 x AA/LR6 (non include) | Rubber | Cinturino/Wrist band |
| <b>IRUB2</b>     | 20026 2.4V - 0.7A | 7 Lm  | 15 mt | 14,5 ore/hrs | Diffuse light | 205 x 73 ø mm | 2 x D/LR20 (non include) | Rubber | Cinturino/Wrist band |
| <b>IRUB3</b>     | 20037 3.6V - 0.7A | 10 Lm | 25 mt | 10 ore/hrs   | Diffuse light | 270 x 73 ø mm | 3 x D/LR20 (non include) | Rubber | Cinturino/Wrist band |

## RUBBER LED

Torcia rubber LED  
Rubber LED flashlight  
Torche LED rubber

**IRUB1LED**



**IRUB2LED**



**IRUB3LED**



| COD.            |             |       |       |            |             |               |                          |        | +                    |
|-----------------|-------------|-------|-------|------------|-------------|---------------|--------------------------|--------|----------------------|
| <b>IRUB1LED</b> | 3 Super LED | 12 Lm | 20 mt | 30 ore/hrs | Focus light | 150 x 42 ø mm | 2 x AA/LR6 (non include) | Rubber | Cinturino/Wrist band |
| <b>IRUB2LED</b> | 3 Super LED | 12 Lm | 30 mt | 30 ore/hrs | Focus light | 205 x 73 ø mm | 2 x D/LR20 (non include) | Rubber | Cinturino/Wrist band |
| <b>IRUB3LED</b> | 3 Super LED | 12 Lm | 30 mt | 30 ore/hrs | Focus light | 270 x 73 ø mm | 3 x D/LR20 (non include) | Rubber | Cinturino/Wrist band |

## FARI USO DOMESTICO

Spotlights for domestic use / Phares pour usage domestique



### IRUB20LED - FARO RUBBER

Faro LED in caucciù naturale

Natural rubber LED spotlight

Phare LED en caoutchouc naturel

IRUB20LED



| COD.      |                       |       |       |              |             |                   |                          |        | IP   |
|-----------|-----------------------|-------|-------|--------------|-------------|-------------------|--------------------------|--------|------|
| IRUB20LED | 1 High Power LED 0,5W | 35 Lm | >20 m | >100 ore/hrs | Focus Light | 200 x 110 x 103mm | 2 x D/LR20 (non incluse) | Rubber | IPx4 |

### IRUB30LED - FARO RUBBER CON SUPPORTO

Faro LED in caucciù naturale

Natural rubber LED spotlight

Phare LED en caoutchouc naturel

IRUB30LED



100%

50%

blink



| COD.      |                       |       |       |              |             |                   |                          |        | IP   |
|-----------|-----------------------|-------|-------|--------------|-------------|-------------------|--------------------------|--------|------|
| IRUB30LED | 1 High Power LED 0,5W | 35 Lm | >20 m | >100 ore/hrs | Focus Light | 200 x 110 x 103mm | 2 x D/LR20 (non incluse) | Rubber | IPx4 |







# Home

## IL05 - PUSH LIGHT

Lampada a pressione  
Push light  
Lampe à pression

IL05



IL05BULK



HEART



MOON



STARLET

| COD.     |  |  |  |  |  |  |  |  |     |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----|
| IL05     | 22638                                                                             | 4,8V - 0,5A                                                                       | 8 Lm                                                                              | N/S                                                                               | 3,5 ore/hrs                                                                       | Diffuse Light                                                                     | 137 x 145 x 55                                                                    | 4 x AA/LR6 (non include)                                                           | ABS |
| IL05BULK | 22638                                                                             | 4,8V - 0,5A                                                                       | 8 Lm                                                                              | N/S                                                                               | 3,5 ore/hrs                                                                       | Diffuse Light                                                                     | 137 x 145 x 55                                                                    | 4 x AA/LR6 (non include)                                                           | ABS |

## IL05LED - PUSH LIGHT LED

Lampada a pressione LED  
LED Push light  
Lampe à pression LED

IL05LED



| COD.    |                |       |     |            |               |              |                          |        |
|---------|----------------|-------|-----|------------|---------------|--------------|--------------------------|--------|
| IL05LED | 3 Standard LED | 10 Lm | N/S | 40 ore/hrs | Diffuse Light | 100 ø x 50mm | 2 x AA/LR6 (non incluse) | ABS+PS |

## IL12 - MINI PUSH LIGHT LED

Push light LED finitura alluminio  
Aluminium finish LED push light  
Lampe à pression LED finition aluminium

IL12



| COD. |                |       |     |            |               |              |                            |     |         |
|------|----------------|-------|-----|------------|---------------|--------------|----------------------------|-----|---------|
| IL12 | 3 Standard LED | 20 Lm | N/S | 40 ore/hrs | Diffuse light | ø 68 x 20 mm | 3 x AAA/LR03 (non fornite) | ABS | Velcro® |

## LUCI DI COMPLEMENTO

Complement lighting / Lumières de complément

# Home

### IL13LED - PUSH ON

Lampada a pressione 5 LED orientabile

5 LED adjustable push light

Lampe à pression orientable 5 LED

IL13LED



| COD.    |             |          |     |             |               |              |                        |     |         |
|---------|-------------|----------|-----|-------------|---------------|--------------|------------------------|-----|---------|
| IL13LED | 5 Super LED | 25-30 Lm | N/S | >16 ore/hrs | Diffuse Light | 88 ø x 44 mm | 3 x AAA/LR03 (include) | ABS | Velcro® |


### IL16 - CLOSET LIGHT

Luce 2 LED con interruttore magnetico

2 LED light with magnetic switch

Lumière 2 LED avec interrupteur magnétique

IL16



| COD. |             |      |     |            |               |                 |                    |     |         |
|------|-------------|------|-----|------------|---------------|-----------------|--------------------|-----|---------|
| IL16 | 2 Super LED | 6 Lm | N/S | 11 ore/hrs | Diffuse light | 38 x 18 x 52 mm | 2 x AG13 (include) | ABS | Velcro® |


### IL14 - UFO LED

Lampada a 23 LED multiuso

23 LED multipurpose lamp

Lampe domestique multi tâches

IL14



| COD. |                 |       |       |              |               |             |                          |     |  |
|------|-----------------|-------|-------|--------------|---------------|-------------|--------------------------|-----|--|
| IL14 | 23 Standard LED | 35 Lm | >20 m | >100 ore/hrs | Diffuse light | 130 x 25 mm | 4 x AA LR6 (non include) | ABS |  |





## IL11 - SENSOR LIGHT

Luce di servizio con sensore di presenza  
*Motion sensor light*  
*Lumière avec détecteur de mouvement*

IL11



| COD. |                |      |      |            |               |                  |                          |     |
|------|----------------|------|------|------------|---------------|------------------|--------------------------|-----|
| IL11 | 3 Standard LED | 8 Lm | 4 mt | 30 ore/hrs | Diffuse Light | 80 x 45 x 11,5mm | 3 x AA/LR6 (non include) | ABS |

## IL15XS - EYE LIGHT

Luce di servizio LED con sensore di presenza  
*LED service light with motion detector*  
*Lumière de service LED avec détecteur de présence*

IL15XS




| COD.   |           |       |      |            |               |                 |                          |    | +       |
|--------|-----------|-------|------|------------|---------------|-----------------|--------------------------|----|---------|
| IL15XS | 2 SMD LED | 14 Lm | 10 m | 50 ore/hrs | Diffuse Light | 46 x 94 x 64 mm | 3 x AA/LR6 (non include) | PC | Velcro® |

## IL24 - SMART LIGHT MOVEON

Mini barretta orientabile 4 LED con rilevatore di movimento  
*Orientable mini cabinet lamp with motion sensor*  
*Mini barrette orientable 4 LED avec détecteur de mouvement*

IL24



| COD. |           |       |     |            |               |             |                           |       | +       |
|------|-----------|-------|-----|------------|---------------|-------------|---------------------------|-------|---------|
| IL24 | 4 SMD LED | 23 Lm | 8 m | 10 ore/hrs | Diffuse Light | 230 x 70 mm | 3 x AAA/LR03(non include) | AL+PS | Velcro® |

## LT010 - LED SWITCH BAR

Reglette magnetica 10 LED  
*10 LED cabinet barlight*  
*Réglette magnétique 10 LED*

LT010



| COD.  |                   |       |     |            |               |                  |                            |     | +       |
|-------|-------------------|-------|-----|------------|---------------|------------------|----------------------------|-----|---------|
| LT010 | 10 x 0,07 SMD LED | 30 Lm | N/S | 28 ore/hrs | Diffuse Light | 400 x 40 x 20 mm | 6 x AA / LR6 (non include) | ABS | Velcro® |

## LUCI DA LETTURA

Reading lights / Lampes de lecture

Disponibile in 2 colori:  
Available in 2 colours:  
Disponibile en 2 couleurs:



### IN145 - LUCCIOLA MICRO

Lampada doppia funzione: booklight e pen light

Double-function light: book light and pen light

Lampe 2 en 1: lecture et écriture

IN145



| COD.  |       |      |     |            |             |                      |                    |     |
|-------|-------|------|-----|------------|-------------|----------------------|--------------------|-----|
| IN145 | 1 LED | 5 Lm | N/S | 15 ore/hrs | Focus Light | 55 x 10 / 19 x 28 mm | 2 x AG10 (include) | ABS |

### IN150 - SOLE

Lampada da lettura ultrasottile

Ultra slim reading light

Lampe de lecture ultra fine

IN150



| COD.  |                     |      |     |           |               |                  |                            |     |
|-------|---------------------|------|-----|-----------|---------------|------------------|----------------------------|-----|
| IN150 | 70086 - 2,4V - 0,4A | 5 Lm | 1 m | 3 ore/hrs | Diffuse light | 104 x 41 x 17 mm | 2 x AAA/LR03 (non include) | ABS |

### IN215 - SILVER LIGHT

Lampada da lettura ultrasottile

Ultra slim reading light

Lampe de lecture ultra fine

IN215



| COD.  |       |      |     |              |               |                  |                      |     |
|-------|-------|------|-----|--------------|---------------|------------------|----------------------|-----|
| IN215 | 4 LED | 6 Lm | 1 m | 11,5 ore/hrs | Diffuse light | 106 x 40 x 14 mm | 2 x CR2450 (include) | ABS |

### IN205 - NIGHT FRIEND

Lampada da lettura ricaricabile ultrasottile

Ultra slim rechargeable reading light

Lampe de lecture rechargeable ultra fine

IN205




| COD.  |         |      |     |             |               |                 |                     |     |
|-------|---------|------|-----|-------------|---------------|-----------------|---------------------|-----|
| IN205 | 4+1 LED | 6 Lm | 1 m | 3,5 ore/hrs | Diffuse light | 100 x 45 x 35mm | Ni-Mh 3.6V - 800mAh | ABS |





## IR02LED - SAFELUX

Luce notturna con funzione antiblack out  
Nightlight with anti black-out function  
Veilleuse avec fonction anti black-out



IR02LED



ANTI  
BLACK  
OUT



## R700, R700H - NIGHT GUARD

Punto luce e torcia  
Nightlight & flashlight  
Veilleuse & torche



ANTI  
BLACK  
OUT



| COD.                                                                 | IR02LED                                  | R700 - R700H            |
|----------------------------------------------------------------------|------------------------------------------|-------------------------|
| Alimentazione / Power supply / Alimentation                          | 230V ~ 50 Hz                             | 230V ~ 50Hz             |
| Batteria / Battery / Batterie                                        | Li - Ion 3,7V 150 mAh                    | Lithium 3,7V 500 mAh    |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 3 LED 0,35W                              | 2+16 standard LED       |
| Lumen / Lumen / Lumen                                                | 14 Lm                                    | 4-6 Lm / pcs            |
| Tempo di ricarica / Charging Time / Temps de recharge                | 5 ore/hrs                                | 5 ore / hrs             |
| Autonomia / Runtime / Autonomie                                      | 2 ore/hrs                                | 2 ore /hrs              |
| Fascio di luce / Light beam / Type de faisceau                       | Diffuso/Diffuse/Diffuse                  | Diffuso/Diffuse/Diffuse |
| Dimensioni prodotto / Product dimensions / Dimensions                | 81 x 5 x 25 mm                           | 133 x 63 x 80 mm        |
| Materiale / Material / Matériau                                      | Bayblend V-0 (corpo)<br>MAKROLON (vetro) | ABS                     |

R700



Vertical plug

R700H



Horizontal plug

## IR200-MAGICA LED

Lanterna portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampe LED portative rechargeable anti black-out

| COD.                                                                 | IR200                                  |
|----------------------------------------------------------------------|----------------------------------------|
| Alimentazione / Power supply / Alimentation                          | 230V ~ 50 Hz / 5.0V --- 1.0A           |
| Batteria / Battery / Batterie                                        | 3.7V 2000 mAh Lithium (18650)          |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 3W COB LED                             |
| Potenza d'illuminazione (W) / (W) Power / Puissance (W)              | 3W                                     |
| Lumen / Lumen / Lumen                                                | max 250 Lm                             |
| Tempo di ricarica / Charging Time / Temps de recharge                | 12 ore/hrs                             |
| Autonomia / Runtime / Autonomie                                      | low: 13,5 ore/hrs<br>high: 4,5 ore/hrs |
| Fascio di luce / Light beam / Type de faisceau                       | Diffuso/Diffuse/Diffuse                |
| Durata di vita del LED / LED Life time / Durée de vie des LED        |                                        |
| Dimensioni prodotto / Product dimensions / Dimensions                | 195 x 126 x 36 mm                      |
| Materiale / Material / Matériau                                      | ABS                                    |
| Accessori / Accessories / Accessoires                                | Home adaptor                           |

IR200



IR200 - DISPLAY vuoto



ANTI  
BLACK  
OUT



COB  
TECHNOLOGY



DISPLAY  
4 PZ  
(vuoto)



## OVIDEA

Lantern portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampe LED portative rechargeable anti black-out

# Home



IR170LED



IR160LED

| COD.                                                                        | IR170LED                                 | IR160LED                                  |
|-----------------------------------------------------------------------------|------------------------------------------|-------------------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 220V ~ 50 Hz /6V === 400mA               | 230V ~ 50 Hz / 6V === 400 mA              |
| <b>Batteria</b> / Battery / Batterie                                        | Pb 4V 2Ah                                | Pb 4V 3,2 Ah                              |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | 4+21 Standard LED                        | 6+23 Standard LED                         |
| <b>Potenza d'illuminazione (W)</b> / (W) Power / Puissance (W)              | 4 W                                      | 6 W                                       |
| <b>Lumen</b> / Lumen / Lumen                                                | 85 Lm                                    | 120 Lm                                    |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 24 ore/hrs                               | 12 ore/hrs                                |
| <b>Autonomia</b> / Runtime / Autonomie                                      | 4 LED = 29 ore/hrs<br>21 LED = 7 ore/hrs | 6 LED = 30 ore/hrs<br>23 LED = 10 ore/hrs |
| <b>Tipo di luce</b> / Kelvin degrees / Degrés Kelvin                        | 6000K                                    | 6000K                                     |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | Diffuso/Diffuse/Diffuse                  | Diffuso/Diffuse/Diffuse                   |
| <b>Durata di vita del LED</b> / LED Life time / Durée de vie des LED        | 30.000 ore/hrs                           | 30.000 ore/hrs                            |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 70 x 120 x 190 mm                        | 160 x 285 x 100 mm                        |
| <b>Materiale</b> / Material / Matériau                                      | PS+ABS                                   | PS + ABS                                  |
| <b>IP</b>                                                                   | IP20                                     | IP20                                      |
| <b>Accessori</b> / Accessories / Accessoires                                | Home adaptor                             | Car charger 12V / Home adaptor            |

IR170LED



IR160LED





## METALSAFE

Lantern portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampe LED portative rechargeable anti black-out



IR116LED



IR117LED



IR118LED



IR126ALU

| COD.                                                                 | IR116LED                | IR117LED                | IR118LED                | IR126ALU                |
|----------------------------------------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Alimentazione / Power supply / Alimentation                          | 230V ~ 50 Hz / 5V ===   | 230V ~ 50 Hz / 9V ===   | 230V ~ 50 Hz / 9V ===   | 220V ~ 50 Hz / 5V ===   |
| Batteria / Battery / Batterie                                        | Pb 4V 0,8Ah             | Pb 6V 4Ah               | Pb 6V 4Ah               | Pb 4V 1,2 Ah            |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 12 x 5mm Power LED      | 40 x 5mm Power LED      | 80 x 5mm Power LED      | 30 x 5mm Power LED      |
| Potenza d'illuminazione (W) / (W) Power / Puissance (W)              | 0,7 W                   | 2,4 W                   | 4,8 W                   | 1,8 W                   |
| Lumen / Lumen / Lumen                                                | 80Lm                    | 180Lm                   | 300 Lm                  | 100 Lm                  |
| Tempo di ricarica / Charging Time / Temps de recharge                | 12 ore/hrs              | 12 ore/hrs              | 12 ore/hrs              | 15 ore/hrs              |
| Autonomia / Runtime / Autonomie                                      | 10 ore/hrs              | >30 ore/hrs             | 20 ore/hrs              | >5 ore/hrs              |
| Mcd / Mcd / Mcd                                                      | 1200/1400               | 1200/1400               | 1200/1400               | 1200/1400               |
| Tipo di luce / Kelvin degrees / Degrés Kelvin                        | 6000-6500 K             | 6000-6500 K             | 6000-6500 K             | 6500 K                  |
| Fascio di luce / Light beam / Type de faisceau                       | Diffuso/Diffuse/Diffuse | Diffuso/Diffuse/Diffuse | Diffuso/Diffuse/Diffuse | Diffuso/Diffuse/Diffuse |
| Durata di vita del LED / LED Life time / Durée de vie des LED        | 50.000 ore/hrs          | 50.000 ore/hrs          | 50.000 ore/hrs          | 50.000 ore/hrs          |
| Dimensioni prodotto / Product dimensions / Dimensions                | 85 x 75 x 95 mm         | 85 x 75 x 180 mm        | 85 x 75 x 326 mm        | 54 x 45 x 211 mm        |
| Materiale / Material / Matériau                                      | AL+ABS                  | AL+ABS                  | AL+ABS                  | AL+ABS                  |
| IP                                                                   | IP20                    | IP20                    | IP20                    | IP20                    |
| Accessori / Accessories / Accessoires                                | Home adaptor            | Home adaptor            | Home adaptor            | Home adaptor            |

IR116LED



IR117LED



IR118LED



IR126ALU





## ER001 - BEACON EXIT SIGN 6W

Lampada permanente per illuminazione d'emergenza  
Self-contained maintained luminaire for emergency lighting  
Bloc de secours permanent

IP65



## ER005 - SLIM 6W

Lampada non permanente per illuminazione d'emergenza  
Self-contained not-maintained luminaire for emergency lighting  
Bloc de secours non permanent



## ER012 - SLIM LED

Lampada non permanente per illuminazione d'emergenza  
Self-contained not-maintained luminaire for emergency lighting  
Bloc de secours non permanent



IP65



## ER018 - SLIM LED

Lampada non permanente per illuminazione d'emergenza  
Self-contained not-maintained luminaire for emergency lighting  
Bloc de secours non permanent



WITH  
FLUSH  
MOUNTING  
BOX




| COD.                                                                        | ER001                                                          | ER005               | ER012                                                                                         | ER018              |
|-----------------------------------------------------------------------------|----------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------|--------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 220-240V ~ 50 Hz                                               | 230-240V ~ 50/60 Hz | 230-240V ~ 50/60 Hz                                                                           | 220-240V ~ 50 Hz   |
| <b>Batteria</b> / Battery / Batterie                                        | Ni-Cd AA 1000 mAh 4.8V                                         | Ni-Mh 3.6V 1Ah      | Ni-Mh 3,6V 1,2 Ah                                                                             | Ni-Mh 3,6V 1,2 Ah  |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | NEON T5 - 6W                                                   | NEON T5 - 6W        | 12 Super LED                                                                                  | 18 Super LED       |
| <b>Lumen</b> / Lumen / Lumen                                                | 220/70 Lm                                                      | 28 Lm               | 40 Lm                                                                                         | 80 Lm              |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 24 ore/hrs                                                     | 24 ore/hrs          | 24 ore/hrs                                                                                    | 24 ore/hrs         |
| <b>Autonomia</b> / Runtime / Autonomie                                      | 1 ora/hr                                                       | >3 ore/hrs          | >3 ore/hrs                                                                                    | 2 ore/hrs          |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | Diffuse Light                                                  | Diffuse Light       | Diffuse Light                                                                                 | Diffuse Light      |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 290 x 145 x 175 mm                                             | 265 x 106 x 46 mm   | 260 x 103 x 66 mm                                                                             | 255 x 50 x 100 mm  |
| <b>Materiale</b> / Material / Materiau                                      | PC                                                             | PC+ABS              | PC +ABS                                                                                       | PC + ABS           |
| <b>Grado di protezione</b> / Protection degré / Degré de protection         | IP65                                                           | IP40                | IP65                                                                                          | IP20               |
| <b>Classe di isolamento</b> / Insulation class / Classe isolation           | II                                                             | II                  | II                                                                                            | II                 |
| <b>Accessori</b> / Accessories / Accessoires                                | Adesivi inclusi /<br>Stickers included/<br>Autocollants inclus | Viti / Screw / Vis  | Scatola da incasso inclusa/<br>Flush mounting box included /<br>Boitier d'encastrement inclus | Viti / Screw / Vis |

### Diagramma di distribuzione dell'intensità luminosa

Luminous intensity distribution diagram & illuminance

Diagramme de distribution de l'intensité lumineuse

#### ER001



| Ø/cm    | h/m | LUX           |
|---------|-----|---------------|
| 539.49  | 1   | 1.646/10.20   |
| 1068.98 | 2   | 0.4115/2551   |
| 1603.48 | 3   | 0.1829/1.341  |
| 2137.97 | 4   | 0.1029/0.6378 |
| 2672.46 | 5   | 0.0658/0.4082 |



#### ER001



#### ER005



#### ER012



#### ER018





| Codice<br>Item<br>Code | Peso netto in grammi<br> | Tipo di imballo<br> | Dimensioni singolo imballo (cm) |            |         |  Pz |  Pz |
|------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------------------|------------|---------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                        |                                                                                                           |                                                                                                      | Larghezza                       | Profondità | Altezza |                                                                                        |                                                                                        |
| IL17LED                | 37                                                                                                        | Display 16 pz                                                                                        | 15,6                            | 13,6       | 11,6    | 16                                                                                     | 192                                                                                    |
| ID70E                  | 80                                                                                                        | Hanger                                                                                               | 10,7                            | 5          | 19,7    | 12                                                                                     | 144                                                                                    |
| D63                    | 86                                                                                                        | Blister                                                                                              | 10                              | 3,6        | 21      | 12                                                                                     | 72                                                                                     |
| D65                    | 97                                                                                                        | Blister                                                                                              | 15,8                            | 4,8        | 20,8    | 6                                                                                      | 24                                                                                     |
| IS495                  | 124                                                                                                       | Blister                                                                                              | 15,5                            | 7          | 20      | 6                                                                                      | 36                                                                                     |
| 4411                   | 52                                                                                                        | Blister                                                                                              | 22,5                            | 9          | 4,5     | 12                                                                                     | 24                                                                                     |
| 4403C                  | 39                                                                                                        | Blister                                                                                              | 16,8                            | 2,8        | 12,4    | 24                                                                                     | 48                                                                                     |
| D68                    | 32                                                                                                        | Display 12pz                                                                                         | 18                              | 14         | 13      | 24                                                                                     | 48                                                                                     |
| IN238                  | 21                                                                                                        | Display 20pz                                                                                         | 16,4                            | 20,5       | 11      | 20                                                                                     | 120                                                                                    |
| IN239                  | 28                                                                                                        | Blister                                                                                              | 10                              | 27         | 20      | 6                                                                                      | 48                                                                                     |
| IP04                   | 213                                                                                                       | Blister                                                                                              | 10                              | 5          | 31,75   | 12                                                                                     | 48                                                                                     |
| IRUB1                  | 67                                                                                                        | Blister                                                                                              | 9                               | 4          | 21      | 12                                                                                     | 120                                                                                    |
| IRUB1BULK              | 67                                                                                                        | Bulk                                                                                                 | -                               | -          | -       | -                                                                                      | 120                                                                                    |
| IRUB2                  | 232                                                                                                       | 1/2 Blister                                                                                          | 12,5                            | 7,5        | 26      | 12                                                                                     | 48                                                                                     |
| IRUB3                  | 272                                                                                                       | 1/2 Blister                                                                                          | 12,5                            | 7,5        | 32      | 12                                                                                     | 48                                                                                     |
| IRUB1LED               | 70                                                                                                        | Blister                                                                                              | 10,5                            | 4,8        | 20,4    | 12                                                                                     | 72                                                                                     |
| IRUB2LED               | 196                                                                                                       | Blister                                                                                              | 10,5                            | 8          | 32,3    | 12                                                                                     | 72                                                                                     |
| IRUB3LED               | 230                                                                                                       | Blister                                                                                              | 12,4                            | 8          | 36,8    | 12                                                                                     | 48                                                                                     |
| IRUB20LED              | 511                                                                                                       | Display 12 pz                                                                                        | 34                              | 23         | 42      | 12                                                                                     | 24                                                                                     |
| IRUB30LED              | 230                                                                                                       | 1/2 Blister                                                                                          | 12                              |            | 26,5    | 6                                                                                      | 24                                                                                     |
| IL05                   | 93                                                                                                        | Blister                                                                                              | 16,1                            | 5          | 22      | 12                                                                                     | 72                                                                                     |
| IL05BULK               | 93                                                                                                        | Bulk                                                                                                 | -                               | -          | -       | 20                                                                                     | 120                                                                                    |
| IL05LED                | 74                                                                                                        | Blister                                                                                              | 15,7                            | 5,4        | 20,3    | 12                                                                                     | 72                                                                                     |
| IL12                   | 47                                                                                                        | Blister                                                                                              |                                 |            |         | 12                                                                                     | 120                                                                                    |
| IL13LED                | 101                                                                                                       | Blister                                                                                              | 10,5                            | 5          | 20,5    | 12                                                                                     | 120                                                                                    |
| IL11                   | 65                                                                                                        | Blister                                                                                              | 15,5                            | 4          | 20      | 6                                                                                      | 24                                                                                     |
| IL16                   | 28                                                                                                        | Blister                                                                                              | 10                              | 2,7        | 20      | 12                                                                                     | 96                                                                                     |
| IL14                   | 103                                                                                                       | Blister                                                                                              | 17                              | 3,5        | 26,3    | 6                                                                                      | 24                                                                                     |
| IL15XS                 | 92                                                                                                        | Blister                                                                                              | 16                              | 8,5        | 21      | 6                                                                                      | 60                                                                                     |
| IL24                   | 108                                                                                                       | Blister                                                                                              | 9                               | 8          | 32,2    | 6                                                                                      | 24                                                                                     |
| LT010                  | 217                                                                                                       | Gift Box                                                                                             | 6                               | 3,5        | 49      | 4                                                                                      | 40                                                                                     |
| IN145                  | 10                                                                                                        | Blister                                                                                              | 14                              | 8          | 2       | 12                                                                                     | 120                                                                                    |
| IN150                  | 26                                                                                                        | Blister                                                                                              | 17,2                            | 2,3        | 15,8    | 12                                                                                     | 120                                                                                    |
| IN215                  | 30                                                                                                        | Blister                                                                                              | 21,2                            | 13         | 1,9     | 12                                                                                     | 120                                                                                    |
| IN205                  | 85                                                                                                        | Gift box                                                                                             | 16,5                            | 3,7        | 21      | 12                                                                                     | 48                                                                                     |
| IR02LED                | 30                                                                                                        | Display                                                                                              | 11,5                            | 2,5        | 16,5    | 6                                                                                      | 84                                                                                     |
| R700                   | 205                                                                                                       | Blister                                                                                              | 15,5                            | 4          | 20      | 6                                                                                      | 24                                                                                     |
| R700H                  | 205                                                                                                       | Blister                                                                                              | 15,5                            | 4          | 20      | 6                                                                                      | 24                                                                                     |
| IR200                  | 260                                                                                                       | Blister                                                                                              | 15,5                            |            | 31,75   | -                                                                                      | 6                                                                                      |
| IR170LED               | 753                                                                                                       | Gift box                                                                                             | 15,5                            | 8,7        | 24,5    | 10                                                                                     | -                                                                                      |
| IR160LED               | 1650                                                                                                      | Gift box                                                                                             | 31                              | 11         | 17      | 6                                                                                      | -                                                                                      |
| IR116LED               | 347                                                                                                       | Gift box                                                                                             | 10                              | 8,5        | 15      | 6                                                                                      | 24                                                                                     |
| IR117LED               | 911                                                                                                       | Gift box                                                                                             | 8,5                             | 9,5        | 23,4    | 6                                                                                      | 12                                                                                     |
| IR118LED               | 116                                                                                                       | Gift box                                                                                             | 8,5                             | 9,5        | 37,8    | 6                                                                                      | 12                                                                                     |
| IR126ALU               | 530                                                                                                       | Gift box                                                                                             | 7                               | 5,5        | 29      | 6                                                                                      | 30                                                                                     |
| ER001                  | 881                                                                                                       | Gift box                                                                                             | 30                              | 15         | 18      | 10                                                                                     | -                                                                                      |
| ER005                  | 502                                                                                                       | Gift box                                                                                             | 35,5                            | 13,2       | 7,5     | 4                                                                                      | 12                                                                                     |
| ER012                  | 655                                                                                                       | Gift box                                                                                             | 32,2                            | 3          | 10,5    | 4                                                                                      | 12                                                                                     |
| ER018                  | 466                                                                                                       | Gift box                                                                                             | 35,5                            | 13,2       | 7,5     | 4                                                                                      | 12                                                                                     |



# Work





# Work

## TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles

### IM35LED - METALLED

Torcia metallica LED 3W  
3W LED Metal flashlight  
Torche LED 3W metallique

IM35



IM35

CREE®  
XPE

10W



IM36LED

ALUMINIUM  
REFLECTOR



IM37

CREE®  
XML

### IM36LED - METALLED

Torcia metallica LED 3W  
3W LED Metal flashlight  
Torche LED 3W metallique

IM36LED



### IM37LED - METALLED

Torcia metallica LED 10W  
10W LED Metal flashlight  
Torche LED 10W metallique

IM37LED



| COD.     |                      |        |        |             |             |               |                          |    | IP   |
|----------|----------------------|--------|--------|-------------|-------------|---------------|--------------------------|----|------|
| IM35 LED | 3W CREE® XPE R2 LED  | 150 Lm | 150 mt | >50 ore/hrs | Focus Light | 218 x 32,6 mm | 3 x LR6/AA (non incluse) | AL | IPX4 |
| IM36 LED | 3W CREE® XPE R3 LED  | 200 Lm | 180 mt | >50 ore/hrs | Focus Light | 243 x 39,3 mm | 3 x LR14/C (non incluse) | AL | IPX4 |
| IM37 LED | 10W CREE® XML T6 LED | 800 Lm | 550 mt | >50 ore/hrs | Focus Light | 373 x 61 mm   | 3 x LR20/D (non incluse) | AL | IPX4 |

### IMR70LED5W - HEAVY DUTY LED

Torcia in alluminio ricaricabile LED 5W  
Rechargeable 5W LED Metal flashlight  
Torche LED 5W metallique rechargeable

IMR70LED5W



5W  
CREE®  
XPE



| COD.        |                     |        |       |           |             |                 |                                                  |    | IP   | +                                          |
|-------------|---------------------|--------|-------|-----------|-------------|-----------------|--------------------------------------------------|----|------|--------------------------------------------|
| IMR70LE-D5W | 5W CREE® XPE R3 LED | 200 Lm | 200 m | 4 ore/hrs | Focus Light | 48 ø x 179,5 mm | 1650 Li-thium 2000 mAh (in dotazione / included) | AL | IPX6 | Trasformatore / Adaptor + Batteria/Battery |

### LC300 - CHEMIN DE FER

Astuccio in metallo verniciato  
Painted metal pocket lamp  
Lampe de poche en métal vernis équipe de filtres mobiles rouge et vert pour les opérations de signalisation

LC300



| COD.  |                      |       |      |           |             |                  |                    |       | +                       |
|-------|----------------------|-------|------|-----------|-------------|------------------|--------------------|-------|-------------------------|
| LC300 | 20827 - 3,8V - 0,3 A | 14 Lm | 15 m | 2 ore/hrs | Focus Light | 68 x 55 x 117 mm | 3R12 (non incluse) | Metal | Morse button<br>Filtres |

**IR554LED - ICARO 3W**

Faro LED ricaricabile 3W

Rechargeable 3W LED spotlight

Phare 3 W LED rechargeable

**INCLUSI/INCLUDED/INCLUS****IR553LED - HORNET 3W**

Faro LED ricaricabile 3W

Rechargeable 3W LED spotlight

Phare 3 W LED rechargeable

**INCLUSI/INCLUDED/INCLUS**

| COD.                                                                        | IR554LED                                                                                             | IR553LED                                                                                             |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 220V ~ 50Hz / 5V --- 200 mA                                                                          | 220V ~ 50Hz / 5V --- 200mA                                                                           |
| <b>Batteria</b> / Battery / Batterie                                        | Pb 4V 2Ah                                                                                            | Pb 4V 2Ah                                                                                            |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | 3W High Power LED                                                                                    | 3W High Power LED                                                                                    |
| <b>Potenza (W)</b> / (W) Power / Puissance (W)                              | 3 W                                                                                                  | 3W                                                                                                   |
| <b>Portata</b> / Range / Distance d'éclairage                               | 250 m                                                                                                | 250 m                                                                                                |
| <b>Lumen</b> / Lumen / Lumen                                                | 170 Lm                                                                                               | 170 Lm                                                                                               |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 12 ore/hrs                                                                                           | 12 ore/hrs                                                                                           |
| <b>Autonomia</b> / Runtime / Autonomie                                      | 3W brightness mode: 10 ore / hours +/- 15%<br>1W brightness mode: >12 / hours +/- 15%                | 10 ore / hours +/- 15%                                                                               |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | Focus Light                                                                                          | Focus Light                                                                                          |
| <b>Massima intensità del fascio</b> / Peak beam intensity                   | > 6700 cd                                                                                            | > 6700 cd                                                                                            |
| <b>Durata di vita del LED</b> / LED Life time / Durée de vie des LED        | 50.000 ore /hrs                                                                                      | 50.000 ore /hrs                                                                                      |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 178 x 105 x ø 140 mm                                                                                 | 178 x 104 x 150 mm                                                                                   |
| <b>Materiale</b> / Material / Matériau                                      | PP                                                                                                   | PP                                                                                                   |
| <b>Grado di protezione</b> / Protection degré / Degré de protection         | IP20                                                                                                 | IP43                                                                                                 |
| <b>Accessori</b> / Accessories / Accessoires                                | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor |

IR554LED



IR553LED





# Work

FARI USO PROFESSIONALE  
Professional spotlights / Phares pour usage professionnel

## IR777 - VOYAGER

Faro alogeno ricaricabile  
Halogen rechargeable spotlight  
Phare halogene rechargeable

HALOGEN

ANTI  
BLACK  
OUT



## IR999LED - PEGASO LED 3W

Faro LED ricaricabile 3W  
Rechargeable 3W LED spotlight  
Phare 3 W LED rechargeable

ANTI  
BLACK  
OUT



INCLUSI/INCLUDED/INCLUS

| COD.                                                                        | IR777                                                                                                | IR999LED                                                                                             |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 230V ~ 50Hz / 9V === 300mA                                                                           | 230V ~ 50Hz / 6V === 300mA                                                                           |
| <b>Batteria</b> / Battery / Batterie                                        | Pb 6V 4Ah                                                                                            | Pb 4V 4Ah                                                                                            |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | Alogena 5,5 V 1A                                                                                     | 3W High Power LED                                                                                    |
| <b>Potenza (W)</b> / (W) Power / Puissance (W)                              | 5,5W                                                                                                 | 3 W                                                                                                  |
| <b>Portata</b> / Range / Distance d'éclairage                               | >250 m                                                                                               | 200 m                                                                                                |
| <b>Lumen</b> / Lumen / Lumen                                                | 80 Lm                                                                                                | 150 Lm                                                                                               |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 20-24 ore/hrs                                                                                        | 15 ore/hrs                                                                                           |
| <b>Autonomia</b> / Runtime / Autonomie                                      | >5 ore                                                                                               | 18 ore/hrs                                                                                           |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | Diffuso/Diffuse/Diffuse                                                                              | Focus Light                                                                                          |
| <b>Durata di vita del LED</b> / LED Life time / Durée de vie des LED        | -                                                                                                    | 50.000 ore /hrs                                                                                      |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 190 x 120 x ø 130 mm                                                                                 | 190 x 120 x ø 130 mm                                                                                 |
| <b>Materiale</b> / Material / Matériau                                      | PE                                                                                                   | PE                                                                                                   |
| <b>Grado di protezione</b> / Protection degré / Degré de protection         | IP43                                                                                                 | IP43                                                                                                 |
| <b>Accessori</b> / Accessories / Accessoires                                | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor |

IR777



IR999LED







## IR1000E - HALOLED 3W

Lampada da lavoro LED 3W ricaricabile  
3W LED rechargeable worklamp  
Lampe professionnelle rechargeable LED 3W



INCLUSI/INCLUDED/INCLUS

## IR555LED - SUPERTAURUS

Faro LED ricaricabile 10W  
Rechargeable 10W LED spotlight  
Phare 10W LED rechargeable



INCLUSI/INCLUDED/INCLUS

| COD.                                                                        | IR1000E                                                                                                                      | IR555LED                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 230V ~ 50Hz / 12V === 500mA                                                                                                  | 220V ~ 50Hz / 5V === 200mA                                                                                                                                                                                                                             |
| <b>Batteria</b> / Battery / Batterie                                        | Pb 6V 4Ah                                                                                                                    | Pb 4V 3 Ah                                                                                                                                                                                                                                             |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | 3W High power LED                                                                                                            | 10 W CREE® XML LED                                                                                                                                                                                                                                     |
| <b>Potenza (W)</b> / (W) Power / Puissance (W)                              | 3W                                                                                                                           | 10W                                                                                                                                                                                                                                                    |
| <b>Portata</b> / Range / Distance d'éclairage                               | 200 m                                                                                                                        | 1000 m                                                                                                                                                                                                                                                 |
| <b>Lumen</b> / Lumen / Lumen                                                | 180Lm                                                                                                                        | 700 Lm                                                                                                                                                                                                                                                 |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 12 ore/hrs                                                                                                                   | 15 ore/hrs                                                                                                                                                                                                                                             |
| <b>Autonomia</b> / Runtime / Autonomie                                      | 5,5 ore/hrs                                                                                                                  | >15 ore                                                                                                                                                                                                                                                |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | Focus Light                                                                                                                  | Focus fino a 1000mt                                                                                                                                                                                                                                    |
| <b>Durata di vita del LED</b> / LED Life time / Durée de vie des LED        | 50.000 ore /hrs                                                                                                              | > 50.000 ore/hrs                                                                                                                                                                                                                                       |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 290 x 134 x 185 mm                                                                                                           | 205 x 175 x 185 mm                                                                                                                                                                                                                                     |
| <b>Materiale</b> / Material / Matériau                                      | ABS                                                                                                                          | ABS/PP                                                                                                                                                                                                                                                 |
| <b>Grado di protezione</b> / Protection degré / Degré de protection         | IP20                                                                                                                         | IP43                                                                                                                                                                                                                                                   |
| <b>Accessori</b> / Accessories / Accessoires                                | Filtri: arancio, rosso e verde di segnalazione<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor | Tracolla / Carry strap / Bandoulière<br>Adattatore 12V / 12V Car adaptor<br>Adattatore per treppiede / Tripod adaptor<br>Trasformatore 220V / 220V Home adaptor<br>Uscita USB per ricarica dispositivi compatibili / USB output for powerbank function |

IR1000E



IR555LED





# Work

FARI USO PROFESSIONALE  
Professional spotlights / Phares pour usage professionnel

## 1K830 - PORTO

Lampada da lavoro alogena in lega d'alluminio  
Halogen aluminium alloy work lamp  
Lampe halogene de travail en alliage d'aluminium

HALOGEN



INCLUSA  
INCLUDED  
INCLUS

## 1K830LED - PORTOLED 3W

Lampada da lavoro LED in lega d'alluminio  
Aluminium alloy 3W LED work lamp  
Lampe de travail LED 3W en alliage d'aluminium

3W  
LED



INCLUSA  
INCLUDED  
INCLUS

| COD.                                                                 | 1K830                                | 1K830LED                             |
|----------------------------------------------------------------------|--------------------------------------|--------------------------------------|
| Alimentazione / Power supply / Alimentation                          | -                                    | -                                    |
| Batteria / Battery / Batterie                                        | 4R25-2 6V +/-10Ah                    | 4R25-2 6V +/-10Ah                    |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 23493 5,2V - 0,85 A                  | 3W High power LED                    |
| Potenza (W) / (W) Power / Puissance (W)                              | -                                    | 3W                                   |
| Portata / Range / Distance d'éclairage                               | 200m                                 | 200m                                 |
| Lumen / Lumen / Lumen                                                | 150 Lm                               | 150 Lm                               |
| Tipo di luce / Kelvin degrees / Degrés Kelvin                        | -                                    | -                                    |
| Tempo di ricarica / Charging Time / Temps de recharge                | -                                    | -                                    |
| Autonomia / Runtime / Autonomie                                      | 48 ore/hrs                           | 48 ore/hrs                           |
| Fascio di luce / Light beam / Type de faisceau                       | Focus Light                          | Focus Light                          |
| Durata di vita del LED / LED Life time / Durée de vie des LED        | -                                    | 50.000 ore /hrs                      |
| Dimensioni prodotto / Product dimensions / Dimensions                | 240 x 260 x 120 mm                   | 240 x 260 x 120 mm                   |
| Materiale / Material / Matériau                                      | Lega di Alluminio                    | Lega di Alluminio                    |
| Grado di protezione / Protection degré / Degré de protection         | IP20                                 | IP20                                 |
| Accessori / Accessories / Accessoires                                | Tracolla / Bandoulière / Carry strap | Tracolla / Bandoulière / Carry strap |

1K830



1K830LED



**IS142R - CYCLOP**

Faro ricaricabile LED 10W

10W LED rechargeable spotlight

Phare LED 10W rechargeable

**INCLUSI/INCLUDED/INCLUS**

Funzione AC/DC: funziona mentre carica

AC/DC function: works while charging

AC/DC fonction: fonctionne pendant la charge

**IS147R - CYCLOP**

Faro ricaricabile LED 20W

20W LED rechargeable spotlight

Phare LED 20W rechargeable

**INCLUSI/INCLUDED/INCLUS**

| COD.                                                                        | IS142R                                                                     | IS147R                                                                     |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation                          | 220/240V ~ 50 Hz / 8,5V === 1.5A                                           | 220/240V ~ 50 Hz / 12,6V === 1.5A                                          |
| <b>Batteria</b> / Battery / Batterie                                        | 7,4V 4,4Ah, Li-ion                                                         | 11,1V 4400mAh, Lithium                                                     |
| <b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière | 20W LED COB                                                                | 20W COB LED flood Light                                                    |
| <b>Potenza (W)</b> / (W) Power / Puissance (W)                              | 10-11W                                                                     | 20W                                                                        |
| <b>Lumen</b> / Lumen / Lumen                                                | 640 Lm                                                                     | 1200 Lm                                                                    |
| <b>Tipo di luce</b> / Kelvin degrees / Degrés Kelvin                        | 6500 K                                                                     | 6000 K                                                                     |
| <b>Tempo di ricarica</b> / Charging Time / Temps de recharge                | 6 ore/hours                                                                | 6 ore/hours                                                                |
| <b>Autonomia</b> / Runtime / Autonomie                                      | 3 ore/hours                                                                | 3 ore/hours                                                                |
| <b>Fascio di luce</b> / Light beam / Type de faisceau                       | diffusa 120°                                                               | diffusa 120°                                                               |
| <b>Durata di vita del LED</b> / LED Life time / Durée de vie des LED        | 30.000 ore/hrs                                                             | 30.000 ore/hrs                                                             |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions                | 150 x 210 x 165 mm                                                         | 220 x 185 x 195 mm                                                         |
| <b>Materiale</b> / Material / Matériau                                      | Alluminio/Aluminium                                                        | Alluminio/Aluminium                                                        |
| <b>Grado di protezione</b> / Protection degré / Degré de protection         | IP65                                                                       | IP65                                                                       |
| <b>Accessori</b> / Accessories / Accessoires                                | Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor | Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor |

**IS142R****IS147R**





# Work

LAMPADE DA LAVORO  
Worklights / Lampes de travail portatives

## IM01 - MINIPENLITE LED

Mini LED penlight  
Mini LED penlight  
Mini crayon lumineux LED



IM01



| COD.    |                |      |     |           |             |            |                            |    |
|---------|----------------|------|-----|-----------|-------------|------------|----------------------------|----|
| IM02LED | 1 LED Standard | 6 Lm | 5 m | 6 ore/hrs | Focus Light | 88 x 18 mm | 1 x AAA/LR03 (non incluse) | AL |

## IM02LED - PENLITE LED

Penna luminosa LED  
LED penlight  
Crayon lumineux LED

IM02LED



| COD.    |             |      |     |            |             |              |                            |    |
|---------|-------------|------|-----|------------|-------------|--------------|----------------------------|----|
| IM02LED | 1 Super LED | 6 Lm | 5 m | 33 ore/hrs | Focus Light | 140 x 15ø mm | 2 x AAA/LR03 (non incluse) | AL |

## IS305 - DOBLE XL

Luce da lavoro 3 + 20 LED  
3 + 20 LED worklight  
Lumière de travail 3 + 20 LED

IS305



| COD.  |              |        |       |                                   |                     |                 |                              |     |                             |
|-------|--------------|--------|-------|-----------------------------------|---------------------|-----------------|------------------------------|-----|-----------------------------|
| IS305 | 3+20 LED SMD | 100 Lm | 3-5 m | HI: 18 ore/hrs<br>LOW: 31 ore/hrs | Focus/Diffuse Light | 96 X 70 X 35 mm | 3 x AAA / LR03 (non incluse) | ABS | Gancio, calamita e supporto |

## IS465 - FLAT WORK LIGHT

Lampada da lavoro 28 LED con gancio e calamita  
28 LED work light with hook and magnet  
Lampe de travail 28 LED avec crochet et aimant

IS465



| COD.  |                 |       |      |            |               |                   |                            |        |                  |
|-------|-----------------|-------|------|------------|---------------|-------------------|----------------------------|--------|------------------|
| IS465 | 28 Standard LED | 30 Lm | 12 m | 23 ore/hrs | Diffuse Light | 21 X 6,5 X 3,5 mm | 3 x AA / LR6 (non incluse) | Rubber | Gancio, Calamita |



## IS404 - TRANSFORMER

Luce da lavoro 36+1 LED  
36+1 LED work light  
Lumière de travail 36+1 LED

IS404



**ORIENTABILE /  
ORIENTABLE**



| COD.  |                             |          |      |             |                     |                  |                          |     |                  |
|-------|-----------------------------|----------|------|-------------|---------------------|------------------|--------------------------|-----|------------------|
| IS404 | 1 High power 0,5 W + 36 LED | 50+25 Lm | 15 m | >70 ore/hrs | Diffuse/Focus Light | 60 x 50 x 230 mm | 3 x AA/LR6 (non include) | ABS | Gancio, Calamita |

## IS407 - WORKER

Luce da lavoro COB LED + 6 LED  
COB LED + 6 LED worklight  
Lumière de travail COB LED +6 LED

IS407



| COD.  |                                |                                      |      |                                           |                        |                  |                          |     |                    |
|-------|--------------------------------|--------------------------------------|------|-------------------------------------------|------------------------|------------------|--------------------------|-----|--------------------|
| IS407 | 3W COB LED<br>+ 6 LED standard | 3W COB LED: 200<br>Lm / 6 LED: 25 Lm | 10 m | 3W COB LED: 27 ore<br>6 LED: 69 ore / hrs | Diffuse<br>Focus Light | 210 X 60 X 35 mm | 3 x AA/LR6 (non include) | ABS | Gancio<br>Calamita |

## IS470 HANDY WORK

Lampada da lavoro ricaricabile multifunzione  
Rechargeable multifunction work lamp  
Lampe de travail multifonction rechargeable

IS470



**INCLUSI/INCLUDED/INCLUS**

| COD.  |                                                |                               |        |                                        |                        |             |                           |                               |             |
|-------|------------------------------------------------|-------------------------------|--------|----------------------------------------|------------------------|-------------|---------------------------|-------------------------------|-------------|
| IS470 | 15 Super LED: 0,07W<br>1 High power LED: 0,25W | 13 Lm (15LED)<br>15 Lm (1LED) | >50 mt | 7 ore/hrs (15LED)<br>15 ore/hrs (1LED) | Focus/Diffuse<br>Light | 230 x 57 mm | Ni-Mh AA<br>3,6V 1200 mAh | 230V ~50 Hz /<br>4,5V = 300mA | ABS+ rubber |

## IS520 - WORKSHOP

Lampada da officina con gabbia metallica  
Workshop lamp with metal cage  
Lampe de travail avec cage métallique

IS520



**CAVO  
RUBBER  
5mt**

| COD.  |                           |   |   |   |               |             |                  |              |               |
|-------|---------------------------|---|---|---|---------------|-------------|------------------|--------------|---------------|
| IS520 | E 27max 60W (non inclusa) | - | - | - | Diffuse Light | 325 x 90 mm | 220-240V ~ 50 Hz | Rubber/metal | Cable<br>5 mt |

## IF02-INSPECTION

Lampada da ispezione a 3 LED  
3 LED inspection light  
Lampe d'inspection 3 LED

IF02



**TOTAL LENGTH:  
50 cm**

| COD. |             |    |     |            |             |             |                           |        |
|------|-------------|----|-----|------------|-------------|-------------|---------------------------|--------|
| IF02 | 3 Super LED | Lm | 3 m | 35 ore/hrs | Focus light | 505 x 40 mm | 2 x AAA/LR03(non include) | ABS/AL |

## IF04 - PICK-UP TORCH

Torcia estensibile con magnete  
Telescopic flashlight with magnet  
Torche télescopique avec aimant

IF04



| COD. |                   |      |     |            |             |             |                   |             |
|------|-------------------|------|-----|------------|-------------|-------------|-------------------|-------------|
| IF04 | 1 Super LED 0,06W | 4 Lm | 8 m | 40 ore/hrs | Focus Light | 195 x 18 mm | 3 x AG13(include) | PVC + steel |

## CANTIERISTICA - LAMPEGGIANTI

Blinking road lights / Lumières de chantier et routes

## BLINK ROAD

Lampeggiante stradale a 2 LED con sensore crepuscolare  
2 LED blinking road light with crepuscular sensor  
Lampe clignotante de chantier avec capteur crépusculaire

IL08LED



IL08RLED



**INCLUSO  
INCLUDED  
INCLUS**

| COD.                                                                 | IL08LED                    | IL08RLED                   |
|----------------------------------------------------------------------|----------------------------|----------------------------|
| Batteria / Battery / Batterie                                        | 4R25 6V                    | 4R25 6V                    |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 2 Standard LED             | 2 Standard LED             |
| Portata / Range / Distance d'éclairage                               | N/S                        | N/S                        |
| Lumen / Lumen / Lumen                                                | Lm                         | Lm                         |
| Autonomia / Runtime / Autonomie                                      | + 950 ore/hrs              | + 950 ore/hrs              |
| Fascio di luce / Light beam / Type de faisceau                       | N/S                        | N/S                        |
| Durata di vita del LED / LED Life time / Durée de vie des LED        | 30.000 ore/hrs             | 30.000 ore/hrs             |
| Dimensioni prodotto / Product dimensions / Dimensions                | 335 x 185 x 75 mm          | 335 x 185 x 75 mm          |
| Materiale / Material / Matériau                                      | PC                         | PC                         |
| Grado di protezione / Protection degré / Degré de protection         | IP65                       | IP65                       |
| Accessori in dotazione / Accessories / Accessoires                   | Staffa di fissaggio,gancio | Staffa di fissaggio,gancio |





## USB02

Minitorcia ricaricabile a LED  
Rechargeable LED mini flashlight  
Mini torche rechargeable à LED



### USB02



| COD.  |       |      |     |         |             |                |                   |     |     |
|-------|-------|------|-----|---------|-------------|----------------|-------------------|-----|-----|
| USB02 | 1 LED | 3 Lm | 1 m | ore/hrs | Focus Light | 82 x 28 x 17mm | Ni-Mh 3,6 V 40 mA | USB | ABS |

## USB13

Luce a LED per computer con custodia  
Ultrabright LED computer light with travel case  
Lampe LED blanche ultra lumineuse pour ordinateurs fixes et portable



### USB13



| COD.  |       |      |     |   |             |                     |     |     |
|-------|-------|------|-----|---|-------------|---------------------|-----|-----|
| USB13 | 1 LED | 3 Lm | 1 m | - | Focus Light | Testa/Head 36 x 9mm | USB | ABS |

## USB14

Luce a LED per computer estremamente compatta  
Extremely compact LED computer light  
Lampe LED ultra compacte pour ordinateurs fixes et portable



### USB14



| COD.  |       |      |     |   |             |                          |     |     |
|-------|-------|------|-----|---|-------------|--------------------------|-----|-----|
| USB14 | 1 LED | 4 Lm | 1 m | - | Focus Light | Testa/Head 45 x 36 x 9mm | USB | ABS |



# Work

TABELLA RIASSUNTIVA

| Codice<br>Item<br>Code | Peso netto (g)<br> | Tipo di imballo<br> | Dimensioni singolo imballo (cm) |            |         |  Pz |  Pz |
|------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------------------|------------|---------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                        |                                                                                                     |                                                                                                      | Larghezza                       | Profondità | Altezza |                                                                                        |                                                                                        |
| <b>IM35</b>            | 190                                                                                                 | Blister                                                                                              | 10,4                            | 4          | 32,2    | 6                                                                                      | 24                                                                                     |
| <b>IM36LED</b>         | 190                                                                                                 | Blister                                                                                              | 15,6                            | 5,2        | 32,5    | 6                                                                                      | 24                                                                                     |
| <b>IM37</b>            | 476                                                                                                 | Blister                                                                                              | 15,8                            | 6          | 44,2    | 6                                                                                      | 12                                                                                     |
| <b>IMR70LED-5W</b>     | 335                                                                                                 | Gift box                                                                                             | 14,2                            | 12         | 32,5    | 6                                                                                      | 12                                                                                     |
| <b>LC300</b>           | 169                                                                                                 | Bulk                                                                                                 | -                               | -          | -       | 12                                                                                     | -                                                                                      |
| <b>IR554LED</b>        | 443                                                                                                 | Gift box                                                                                             | 19                              | 12         | 15      | 6                                                                                      | -                                                                                      |
| <b>IR553LED</b>        | 481                                                                                                 | Gift box                                                                                             | 18,5                            | 11,5       | 15      | 6                                                                                      | -                                                                                      |
| <b>IR777</b>           | 1016                                                                                                | Gift box                                                                                             | 20                              | 12         | 14      | 6                                                                                      | -                                                                                      |
| <b>IR999LED</b>        | 850                                                                                                 | Gift box                                                                                             | 20                              | 12         | 14      | 6                                                                                      | -                                                                                      |
| <b>IR1000E</b>         | 1532                                                                                                | Gift box                                                                                             | 24                              | 14         | 23      | 4                                                                                      | -                                                                                      |
| <b>IR555LED</b>        | 1033                                                                                                | Gift box                                                                                             | 22                              | 20,5       | 19,5    | 6                                                                                      | -                                                                                      |
| <b>1K830</b>           | 2080                                                                                                | Blister                                                                                              | 30                              | 10         | 39      | 4                                                                                      | -                                                                                      |
| <b>1K830LED</b>        | 1772                                                                                                | Blister                                                                                              | 29,5                            | 14         | 30      | 4                                                                                      | -                                                                                      |
| <b>IS142R</b>          | 985                                                                                                 | Gift Box                                                                                             | 21,5                            | 15,5       | 120     | 6                                                                                      | -                                                                                      |
| <b>IS147R</b>          | 1400                                                                                                | Gift Box                                                                                             | 26                              | 14         | 22      | 6                                                                                      | -                                                                                      |
| <b>IM01</b>            | 20                                                                                                  | Blister                                                                                              | 10                              | 2          | 8,25    | 12                                                                                     | 96                                                                                     |
| <b>IM02LED</b>         | 19                                                                                                  | Blister                                                                                              | 24                              | 2          | 11      | 12                                                                                     | 192                                                                                    |
| <b>IS305</b>           | 69                                                                                                  | Blister                                                                                              | 15,2                            | 3          | 20      | 6                                                                                      | 48                                                                                     |
| <b>IS465</b>           | 123                                                                                                 | Blister                                                                                              | 10,5                            | 3,5        | 32,5    | 6                                                                                      | 48                                                                                     |
| <b>IS404</b>           | 250                                                                                                 | Blister                                                                                              | 15,2                            | 6          | 32,5    | 6                                                                                      | 48                                                                                     |
| <b>IS407</b>           | 115                                                                                                 | Blister                                                                                              | 15,2                            | 5          | 32,5    | 6                                                                                      | 48                                                                                     |
| <b>IS470</b>           | 246                                                                                                 | Blister                                                                                              | 19,3                            | 6,5        | 34,2    | 6                                                                                      | 24                                                                                     |
| <b>IS520</b>           | 577                                                                                                 | Hanger                                                                                               | 32,5                            | 9          | 9       | 12                                                                                     | 24                                                                                     |
| <b>IF02</b>            | 168                                                                                                 | Blister                                                                                              | 14,2                            | 5          | 29      | 6                                                                                      | 24                                                                                     |
| <b>IF04</b>            | 38                                                                                                  | Blister                                                                                              | 32,2                            | 3          | 10,5    | 12                                                                                     | 48                                                                                     |
| <b>IL08LED</b>         | 482                                                                                                 | Bulk                                                                                                 | -                               | -          | -       | 10                                                                                     | -                                                                                      |
| <b>IL08RLED</b>        | 482                                                                                                 | Bulk                                                                                                 | -                               | -          | -       | 10                                                                                     | -                                                                                      |
| <b>USB02</b>           | 55                                                                                                  | Blister                                                                                              | 12,5                            | 4          | 23      | 6                                                                                      | 24                                                                                     |
| <b>USB13</b>           | 95                                                                                                  | Blister                                                                                              | 15                              | 4          | 31      | 6                                                                                      | 24                                                                                     |
| <b>USB14</b>           | 59                                                                                                  | Blister                                                                                              | 12,5                            | 4          | 23      | 6                                                                                      | 24                                                                                     |







# Outdoor





# Outdoor

## TORCE USO OUTDOOR

Flashlights for leisure and outdoor activities / Lampes torches pour usage extérieur et loisirs

### ID70LED - LANTERNETTE LED

Lanternetta LED  
LED Pocket lamp  
Lampe de poche LED

ID70LED



MORSE  
BUTTON

RED  
LENS

| COD.    |                  |       |       |             |               |                  |                                 |     | +                              |
|---------|------------------|-------|-------|-------------|---------------|------------------|---------------------------------|-----|--------------------------------|
| ID70LED | 3 Super LED 0,3W | 14 Lm | 15 mt | >35 ore/hrs | Diffuse light | 67 x 123 x 40 mm | 3R12 / 3 x AA/LR6 (non include) | ABS | MORSE, RED LENS, METAL BRACKET |

### IN270 - ADVENTURE ZOOM

Torcia 1 W LED con zoom  
1 W LED Torch with zoom  
Torche LED 1 W avec zoom

IN270



ZOOM

1W  
HIGH  
POWER

| COD.  |              |       |      |            |                     |             |                           |     | +                    |
|-------|--------------|-------|------|------------|---------------------|-------------|---------------------------|-----|----------------------|
| IN270 | 1W Super LED | 25 Lm | 20 m | 15 ore/hrs | Focus/Diffuse Light | 121 x 38 mm | 3 x AAA/LR03(non include) | ABS | Cinturino/Wrist band |

### IN240 - ADVENTURE

Torcia metallica 9 LED  
9 LED metal flashlight  
Torche métallique 9 LED

IN240



9  
SUPER  
LED



| COD.  |             |       |       |            |             |               |                            |    | IP   | +      |
|-------|-------------|-------|-------|------------|-------------|---------------|----------------------------|----|------|--------|
| IN240 | 9 Super LED | 25 Lm | >20 m | 15 ore/hrs | Focus Light | 100 x 32 ø mm | 3 x AAA/LR03 (non include) | AL | IP20 | Folder |

## TORCE USO OUTDOOR

Flashlights for leisure and outdoor activities / Lampes torches pour usage extérieur et loisirs

# Outdoor



**ZOOM**

**1W  
HIGH  
POWER**

### IN245 - STEEL 1W

Torcia con zoom in alluminio LED 1W  
1 W LED aluminium flashlight with zoom  
Torche en aluminium 1 W LED avec zoom

IN245



| COD.  |                   |       |      |             |             |               |                          |    | IP   |
|-------|-------------------|-------|------|-------------|-------------|---------------|--------------------------|----|------|
| IN245 | 1W High power LED | 80 Lm | 80 m | 4,5 ore/hrs | Focus Light | 110 x 27 ø mm | 1 x AA/LR6 (non include) | AL | IPX4 |

### IN244 - POWER ADVENTURE

Torcia metallica LED 3W  
3W LED metal flashlight  
Torche métallique 3W LED

IN244



**3W  
HIGH  
POWER**



| COD.  |                  |        |       |            |             |               |                            |    | IP   |
|-------|------------------|--------|-------|------------|-------------|---------------|----------------------------|----|------|
| IN244 | 3 High Power LED | 130 Lm | 130 m | 15 ore/hrs | Focus Light | 140 x 45 ø mm | 3 X AAA/LR03 (non include) | AL | IP20 |

### IN246 - STEEL 3W

Torcia con zoom in alluminio LED 3W  
3W LED aluminium flashlight with zoom  
Torche en aluminium 3 W LED avec zoom

IN246



**ZOOM**

**3W  
HIGH  
POWER**

| COD.  |                   |        |       |           |             |             |                            |    | IP   |
|-------|-------------------|--------|-------|-----------|-------------|-------------|----------------------------|----|------|
| IN246 | 3W High power LED | 150 Lm | 150 m | 9 ore/hrs | Focus Light | 109 x 34 mm | 3 x AAA/LR03 (non include) | AL | IPX4 |



# Outdoor

LANTERNE  
Camping lamps / Lanternes

## IN300 - EVERSAFE

Powerbank + Torcia 1W LED  
Mobile powerbank + 1W LED flashlight  
Power bank + torche 1W LED

IN300



| COD.  |         |       |       |            |             |                  |                 |     |
|-------|---------|-------|-------|------------|-------------|------------------|-----------------|-----|
| IN300 | 1 W LED | 90 Lm | 40 mt | 15 ore/hrs | Focus Light | 35 x 32 x 127 mm | Li-ion 1900 mAh | ABS |

## IN265 - COMBI

Torcia + Lanterna LED  
LED Flashlight + lantern  
Torche + lanterne LED

IN265



| COD.  |                    |        |       |             |                      |             |                            |     |                      |
|-------|--------------------|--------|-------|-------------|----------------------|-------------|----------------------------|-----|----------------------|
| IN265 | 1 LED CREE® XPE-R2 | 100 Lm | 150 m | >10 ore/hrs | Focus/ Diffuse Light | 121 x 42 mm | 3 x AAA/LR03 (non incluse) | ABS | Cinturino Wrist band |

## IC201-MIDI CAMPING

Lanterna 1W LED  
1W LED lantern  
Lanterne 1W LED

IC201



| COD.  |        |        |     |                                   |               |              |                          |     | IP   |
|-------|--------|--------|-----|-----------------------------------|---------------|--------------|--------------------------|-----|------|
| IC201 | 1W LED | 100 Lm | 3 m | Hi: 28 ore/hrs<br>Low: 69 ore/hrs | Diffuse Light | 75 ø x 60 mm | 3 x AA/LR6 (non incluse) | ABS | IP20 |



## LANTERNE

Camping lamps / Lanternes

# Outdoor



### IC280 - TREK

Lantern 31 LED

31 LED Lantern

Lanterne 31 LED

IC280



| COD.  |                     |       |     |             |               |                |                          |     | IP   |
|-------|---------------------|-------|-----|-------------|---------------|----------------|--------------------------|-----|------|
| IC280 | 31 Super bright LED | 93 Lm | N/S | 100 ore/hrs | Diffuse Light | 106 ø x 200 mm | 3 x D/LR20 (non incluse) | ABS | IP20 |



### IC290 - SOLAR MINI-CAMPING

Lantern LED camping ricaricabile solare+dinamo

Solar+Dynamo-crank LED mini-camping lantern

Lanterne solaire de camping

IC290



| COD.  |                |      |     |         |               |                       |                    |     | IP   |
|-------|----------------|------|-----|---------|---------------|-----------------------|--------------------|-----|------|
| IC290 | 6 Standard LED | 7 Lm | N/S | ore/hrs | Diffuse Light | 62 x ø 83x 185/230 mm | Litio 3,6 V 120 mA | ABS | IP20 |



# Outdoor

FARI USO OUTDOOR

Spotlights for leisure and outdoor purpose / Phares pour usage extérieur et loisirs

## IC099 - MINIDISCOVERY

Faro 9 LED  
9 LED spotlight  
Phare 9 LED

IC099



9 pcs  
DISPLAY



| COD.  |             |       |      |             |             |               |                          |     |
|-------|-------------|-------|------|-------------|-------------|---------------|--------------------------|-----|
| IC099 | 9 Super LED | 27 Lm | 15 m | >20 ore/hrs | Focus Light | 170 x 85 ø mm | 4 x AA/LR6 (non include) | ABS |

## IR552LED - NEW TAURUS

Faro LED ricaricabile 5W  
Rechargeable 5W LED spotlight  
Phare rechargeable LED 5 W

5  
WATT



## IR556LED - SUPERTAURUS2

Faro LED ricaricabile 10W  
Rechargeable 10W LED spotlight  
Phare rechargeable LED 10 W

10  
WATT



| COD.                                                                 | IR550LED                                                                                             | IR556                                                                                                |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Alimentazione / Power supply / Alimentation                          | 230V~50Hz/ 9V ---150mA                                                                               | 230V~50Hz/ 9V - 12V ---200mA                                                                         |
| Batteria / Battery / Batterie                                        | Pb 4V 2Ah                                                                                            | Pb 4V 4Ah                                                                                            |
| Tecnologia della Luce / Light technology / Technologie de la lumière | 5W High Power LED                                                                                    | 10 WATT CREE® LED                                                                                    |
| Potenza (W) / (W) Power / Puissance (W)                              | 5 W                                                                                                  | 10 W                                                                                                 |
| Portata / Range / Distance d'éclairage                               | 400 m                                                                                                | > 700m                                                                                               |
| Lumen / Lumen / Lumen                                                | 250 Lm                                                                                               | > 650 Lm                                                                                             |
| Tempo di ricarica / Charging Time / Temps de recharge                | 18-20 ore/hrs                                                                                        | 18-20 ore/hrs                                                                                        |
| Autonomia / Runtime / Autonomie                                      | 4 ore/hrs                                                                                            | >10 ore/hrs                                                                                          |
| Fascio di luce / Light beam / Type de faisceau                       | Focus Light                                                                                          | Focus Light                                                                                          |
| Durata di vita del LED / LED Life time / Durée de vie des LED        | 50.000 ore /hrs                                                                                      | 50.000 ore /hrs                                                                                      |
| Dimensioni prodotto / Product dimensions / Dimensions                | 135 x 173 x 215 mm                                                                                   | 135 x 225 x 180 mm                                                                                   |
| Materiale / Material / Matériau                                      | ABS                                                                                                  | ABS                                                                                                  |
| Grado di protezione / Protection degré / Degré de protection         | IP44                                                                                                 | IP44                                                                                                 |
| Accessori / Accessories / Accessoires                                | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor | Tracolla / Carry strap<br>Adattatore 12V / 12V Car adaptor<br>Trasformatore 220V / 220V Home adaptor |



IR552LED



IR556LED





## HEADLAMP

Headlamp / Lumières frontales

# Outdoor



### IH420 - ULTRALIGHT

Lampada da testa ultra compatta

Ultra compact headlamp

Lampe frontale ultra compacte

IH420



| COD.  |           |      |      |            |             |                 |                      |     |
|-------|-----------|------|------|------------|-------------|-----------------|----------------------|-----|
| IH420 | 1 SMD LED | 8 Lm | 5 mt | 30 ore/hrs | Focus Light | 29 x 27 x 44 mm | 2 x CR2016 (include) | ABS |

### IH525 - POLIFEMO

Lampada da testa LED 1W

1W LED head lamp

Lampe frontale LED 1W

IH525



| COD.  |                    |       |       |            |             |              |                             |        | IP   | +              |
|-------|--------------------|-------|-------|------------|-------------|--------------|-----------------------------|--------|------|----------------|
| IH525 | 1 W High Power LED | 50 Lm | 40 mt | 15 ore/hrs | Focus Light | 33 x 46,5 mm | 3 X AAA/ LR03 (non include) | AL/ABS | IPX3 | Flash function |


### IH530 - ARGO ZOOM

Lampada da testa LED 3W con zoom

Head lamp LED 3W with zoom function

Lampe frontale LED 3W avec fonction zoom

IH530



BACKLIGHT



ZOOM



| COD.  |                    |        |      |            |                     |                 |                          |        | IP   | +                               |
|-------|--------------------|--------|------|------------|---------------------|-----------------|--------------------------|--------|------|---------------------------------|
| IH530 | 3 W High Power LED | 105 Lm | 60 m | 12 ore/hrs | Focus/Diffuse Light | 70 x 50 x 60 mm | 3 AAA/LR03 (non include) | AL/ABS | IPX3 | Zoom function<br>Flash function |

### IH521 - NEW ZEUS

Lampada frontale 3W con interruttore a rilevazione di movimento

3W LED head lamp with motion sensor switch

Lampe frontale 3W avec interrupteur à détecteur de mouvement

IH521



OFF



ON



**JUST PASS THE HAND  
TO SWITCH ON & SWITCH OFF!**

| COD.  |             |        |       |                                    |             |                 |                           |                |
|-------|-------------|--------|-------|------------------------------------|-------------|-----------------|---------------------------|----------------|
| IH521 | 3W CREE XPE | 120 Lm | 100 m | HI:9,5 ore/hrs<br>LOW:23,5 ore/hrs | Focus Light | 54 x 45 x 39 mm | 3 x AAA/LR03(non include) | Plastic<br>+AL |



## SUB30LED

Torcia LED subacquea  
Scuba diving LED flashlight  
Torch LED sous marine

SUB30LED



| COD.     |                 |       |                 |           |             |              |                              |        |      |                      |
|----------|-----------------|-------|-----------------|-----------|-------------|--------------|------------------------------|--------|------|----------------------|
| SUB30LED | 1 CREE® XPE LED | 60 Lm | 120 m (in aria) | 8 ore/hrs | Focus Light | 50ø x 130 mm | 2 x AA+2 x AAA (non incluse) | ABS+PC | IPX8 | Cinturino/Wrist band |

## BK001- BIKE SET LED

Kit luci LED da bici: anteriore + posteriore  
LED bike set: front and rear light  
Feu avant LED + Feu arrière LED pour vélo

BK001



3W  
HIGH  
POWER

| COD.  |                                                                  |        |       |                         |             |                                                                                                    |                      |     |                                                         |  |
|-------|------------------------------------------------------------------|--------|-------|-------------------------|-------------|----------------------------------------------------------------------------------------------------|----------------------|-----|---------------------------------------------------------|--|
| BK001 | 3W High power LED (front light)<br>5 x Standard LED (rear light) | 150 Lm | 200 m | 9 ore/hrs<br>78 ore/hrs | Focus Light | Luce anteriore / front light:<br>10 x 3,2 x 3,2 cm<br>Posteriore / rear light:<br>7,2 x 4,2 x 2 cm | 4+2 AAA(non incluse) | ABS | Supporti per installazione<br>Fast installation bracket |  |

## PSL005 - LIGHT CLIP

Clip luminosa 3 LED  
3 LED clip  
Clip 3 LED

PSL005



I SEE  
YOU!

| COD.   |             |     |     |            |               |                 |                      |        |  |  |
|--------|-------------|-----|-----|------------|---------------|-----------------|----------------------|--------|--|--|
| PSL005 | 3 Super LED | N/S | N/S | 38 ore/hrs | Diffuse Light | 28 x 56 x 19 mm | 2 x CR2032 (include) | ABS+PC |  |  |

## PSL001 - ARMLED

Fascia luminosa LED  
LED light band  
Bandeau lumineux LED

PSL001



I SEE  
YOU!

| COD.   |       |     |     |            |               |                  |                      |     |  |  |
|--------|-------|-----|-----|------------|---------------|------------------|----------------------|-----|--|--|
| PSL001 | 2 LED | N/S | N/S | 23 ore/hrs | Diffuse Light | 39 x 200 x 15 mm | 2 x CR2032 (include) | ABS |  |  |

**IN340 - DYNAMO STRING LIGHT**

Torcia con carica manuale a strappo  
Manual string charging flashlight  
Lampe de poche à chargement manuel

IN340



| COD.  |             |      |     |           |             |             |                  |        | IP   |
|-------|-------------|------|-----|-----------|-------------|-------------|------------------|--------|------|
| IN340 | 3 Super LED | 7 Lm | 5 m | 2 ore/hrs | Focus Light | 110 x 32 mm | Ni-Mh 3,6V 80 mA | ABS/AL | IP20 |

**IN380 - SOLAR-COMBI**

Torcia LED solare e ricaricabile a manovella  
Solar and dynamo LED flashlight  
Torche LED dynamo/solaire

IN380



| COD.  |             |      |     |                                                          |             |                  |                   |     | IP   | +                |
|-------|-------------|------|-----|----------------------------------------------------------|-------------|------------------|-------------------|-----|------|------------------|
| IN380 | 3 Super LED | 6 Lm | 5 m | 1 LED - 20 min<br>3 LED - 10 min<br>Energy bank - 60 min | Focus Light | 120 x 55 x 42 mm | Litio 3,6V 120 mA | ABS | IP20 | 0,4W solar panel |

**IN330 - ENERGY TANK**

Torcia dinamo + powerbank  
Dynamo LED torch + powerbank  
Torche dynamo + powerbank

IN330



| COD.  |             |      |      |                                                                |             |                     |                  |     | IP   | +          |
|-------|-------------|------|------|----------------------------------------------------------------|-------------|---------------------|------------------|-----|------|------------|
| IN330 | 5 Super LED | 9 Lm | 10 m | dynamo 1 min - 15 min (3 LED)<br>dynamo 1 min - 10 min (5 LED) | Focus Light | 145 x 50/63 x 35 mm | Ni-Mh 3,6V 80 mA | ABS | IP20 | Connectors |



# Outdoor

CANDELE  
LED Candles / Bougies LED

## SPK02

Lampada solare LED da giardino  
Solar garden LED light  
Borne solaire LED

SPK02



## SPK03

Lampada solare LED da giardino  
Solar garden LED light  
Borne solaire LED

SPK03



DISPLAY  
20 PZ

SPK02 - DISPLAY



DISPLAY  
20 PZ

SPK03 - DISPLAY



| COD.  |                |      |     |           |               |               |                       |     | IP   |
|-------|----------------|------|-----|-----------|---------------|---------------|-----------------------|-----|------|
| SPK02 | 1 Standard LED | 2 Lm | N/S | 8 ore/hrs | Diffuse Light | ø 56 x 260 mm | Ni-Mh AAA 1,2V 100mAh | ABS | IP20 |

## NA001 - NA002 - NA003 - ELECTRONIC CANDLE LED

Candela decorativa in vera cera, effetto fiammeggiante  
Decorative candle light in real wax, flickering effect  
Bougies décoratives électroniques en cire véritable avec "effet flamme"

NA001



NA002



NA003



REAL  
WAX

| COD.  |                |      |     |            |               |            |                  |     | IP  |
|-------|----------------|------|-----|------------|---------------|------------|------------------|-----|-----|
| NA001 | 1 Standard LED | 4 Lm | N/S | 72 ore/hrs | Diffuse Light | 75 ø 50 mm | CR2032 (include) | WAX | N/S |
| NA002 | 1 Standard LED | 4 Lm | N/S | 72 ore/hrs | Diffuse Light | 95 ø 50 mm | CR2032 (include) | WAX | N/S |
| NA003 | 1 Standard LED | 4Lm  | N/S | 72 ore/hrs | Diffuse Light | 50 ø 50 mm | CR2032 (include) | WAX | N/S |

## NA004 - CANDELA ELETTRONICA LED

Candela decorativa in vera cera, effetto fiammeggiante  
Decorative candle light in real wax, flickering effect  
Bougies décoratives électroniques en cire véritable avec "effet flamme"

NA004



6  
COLOURS

REAL  
WAX

| COD.  |           |      |     |            |               |              |                     |     | IP  |
|-------|-----------|------|-----|------------|---------------|--------------|---------------------|-----|-----|
| NA004 | 1 LED RGB | 4 Lm | N/S | 44 ore/hrs | Diffuse Light | 50 h 50 ø mm | CR2032 3V (inclusa) | WAX | N/S |





## IL01E

**IL01E - U&G LUMINO**

Lumino votivo a batterie incluse "usa e getta"

Battery operated disposable votive light

Lumière votive jetable



IL01E

## IL01

**IL01 - LUMINO**

Lumino votivo riutilizzabile a batterie (non incluse)

Battery operated votive light

Lumière votive à piles (non fournies)



IL01LED

## IL01LED

**IL01LED-ETERNITY LIGHT**

Lumino votivo ricaricabile a celle solari

Solar rechargeable candle light

Bougie votive solaire rechargeable



IL01



## GMIL01

**GMIL01 - ETERNITY LIGHT**

Lumino votivo riutilizzabile a batterie (incluse)

Battery operated votive light

Lumière votive à piles (fournies)



IN  
VASOIO  
24pcs

2 MOTIVI  
ASSORTITI



GMIL01

| COD.    |                           |      |     |                                       |               |               |                           |     | IP   |
|---------|---------------------------|------|-----|---------------------------------------|---------------|---------------|---------------------------|-----|------|
| IL01E   | 1 LED rosso               | 5 Lm | N/S | 60 gg/day/                            | Diffuse Light | 56 x 94 mm    | 2 x C/LR14 (include)      | ABS | IP20 |
| IL01    | 1 LED rosso               | 5 Lm | N/S | 60 gg/day/                            | Diffuse Light | 70 x 115 mm   | 2 x C/LR14 (non include)  | ABS | IP20 |
| IL01LED | 1 LED 1,2V 8 mA arancione | 5 Lm | N/S | dopo ricarica solare di 6 ore : 7 ore | Focus Light   | 100 x ø 62 mm | Ni-Mh 1,2V 350mA(include) | PC  | IP44 |
| GMIL01  | 1 LED                     |      | N/S | 15 gg/day                             | Diffuse Light | 63 ø 109 mm   | 2 AA/LR6 (include)        | ABS | IP20 |



# Outdoor

## TABELLA RIASSUNTIVA

| Codice<br>Item<br>Code | Peso netto (g)<br> | Tipo di imballo<br> | Dimensioni singolo imballo (cm) |            |         |  Pz |  Pz |
|------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------------------|------------|---------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                        |                                                                                                     |                                                                                                      | Larghezza                       | Profondità | Altezza |                                                                                        |                                                                                        |
| <b>ID70LED</b>         | 116                                                                                                 | Blister                                                                                              | 10,5                            | 4,1        | 19,6    | 12                                                                                     | 96                                                                                     |
| <b>IN240</b>           | 74                                                                                                  | Blister                                                                                              | 10,5                            | 4          | 20,5    | 6                                                                                      | 24                                                                                     |
| <b>IN244</b>           | 153                                                                                                 | Blister                                                                                              | 14,2                            | 4          | 22      | 6                                                                                      | 24                                                                                     |
| <b>IN245</b>           | 52                                                                                                  | Blister                                                                                              | 10                              | 4          | 20      | 6                                                                                      | 48                                                                                     |
| <b>IN246</b>           | 89                                                                                                  | Blister                                                                                              | 10                              | 5          | 20      | 6                                                                                      | 48                                                                                     |
| <b>IN270</b>           | 60                                                                                                  | Blister                                                                                              | 10,4                            | 4,2        | 20,4    | 6                                                                                      | 72                                                                                     |
| <b>IN300</b>           | 164                                                                                                 | Blister                                                                                              | 15,5                            | 3,8        | 20,4    | 6                                                                                      | 48                                                                                     |
| <b>IN265</b>           | 95                                                                                                  | Blister                                                                                              | 15,5                            | 4,2        | 20,4    | 6                                                                                      | 24                                                                                     |
| <b>IC201</b>           | 77                                                                                                  | Blister                                                                                              | 14,2                            | 6          | 20      | 6                                                                                      | 48                                                                                     |
| <b>IC280</b>           | 322                                                                                                 | Gift Box                                                                                             | 11,5                            | 11         | 21      | 6                                                                                      | 12                                                                                     |
| <b>IC290</b>           | 210                                                                                                 | Blister                                                                                              | 20,3                            | 8,5        | 30      | 6                                                                                      | 24                                                                                     |
| <b>SUB30LED</b>        | 97                                                                                                  | Blister                                                                                              | 10,5                            | 6,2        | 20,4    | 6                                                                                      | 48                                                                                     |
| <b>BK001</b>           | 100                                                                                                 | Blister                                                                                              | 15,2                            | 6          | 20      | 6                                                                                      | 72                                                                                     |
| <b>PSL005</b>          | 18                                                                                                  | Blister                                                                                              | 10,4                            | 2,5        | 8,8     | 6                                                                                      | 96                                                                                     |
| <b>PSL001</b>          | 47                                                                                                  | Blister                                                                                              | 10                              | 2          | 31,7    | 6                                                                                      | 48                                                                                     |
| <b>IC099</b>           | 124                                                                                                 | Display                                                                                              | 29,5                            | 29,5       | 26      | 9                                                                                      | 18                                                                                     |
| <b>IR552</b>           | 802                                                                                                 | Gift box                                                                                             | 23                              | 14         | 18      | 6                                                                                      | -                                                                                      |
| <b>IR556</b>           | 1175                                                                                                | Gift box                                                                                             | 23                              | 14         | 18      | 6                                                                                      | -                                                                                      |
| <b>IH420</b>           | 25                                                                                                  | Blister                                                                                              | 12,5                            | 6          | 18,5    | 12                                                                                     | 48                                                                                     |
| <b>IH525</b>           | 99                                                                                                  | Blister                                                                                              | 15,8                            | 9,3        | 20,2    | 8                                                                                      | 48                                                                                     |
| <b>IH530</b>           | 137                                                                                                 | Blister                                                                                              | 15,6                            | 11         | 21      | 8                                                                                      | 48                                                                                     |
| <b>IH521</b>           | 68                                                                                                  | Blister                                                                                              | 15,8                            | 6,8        | 20,5    | 6                                                                                      | 48                                                                                     |
| <b>IN340</b>           | 78                                                                                                  | Blister                                                                                              | 12,3                            | 4          | 19,7    | 6                                                                                      | 24                                                                                     |
| <b>IN380</b>           | 114                                                                                                 | Blister                                                                                              | 21                              | 4          | 13,4    | 6                                                                                      | 24                                                                                     |
| <b>IN330E</b>          | 174                                                                                                 | Blister                                                                                              | 15,5                            | 5          | 20,5    | 6                                                                                      | 24                                                                                     |
| <b>SPK02</b>           | 74                                                                                                  | Blister                                                                                              | 29,5                            | 23,6       | 26      | 20                                                                                     | 40                                                                                     |
| <b>SPK03</b>           | 74                                                                                                  | Blister                                                                                              | 29,5                            | 23,6       | 26      | 20                                                                                     |                                                                                        |
| <b>NA001</b>           | 70                                                                                                  | Shrink                                                                                               | 5                               | 5          | 7,5     | 12                                                                                     | 24                                                                                     |
| <b>NA002</b>           | 95                                                                                                  | Shrink                                                                                               | 5                               | 5          | 9,5     | 12                                                                                     | 24                                                                                     |
| <b>NA003</b>           | 55                                                                                                  | Shrink                                                                                               | 5                               | 5          | 5       | 12                                                                                     | 24                                                                                     |
| <b>NA004</b>           | 57                                                                                                  | Gift box                                                                                             | 5                               | 5          | 5       | 12                                                                                     | 144                                                                                    |
| <b>IL01E</b>           | 144                                                                                                 | Bulk                                                                                                 | 7                               | 7          | 9       | 24                                                                                     | -                                                                                      |
| <b>IL01</b>            | 111                                                                                                 | Gift box                                                                                             | 9                               | 7          | 17,7    | 12                                                                                     | 48                                                                                     |
| <b>IL01LED</b>         | 75                                                                                                  | Gift box                                                                                             | 14,6                            | 7,6        | 6,5     | 6                                                                                      | 48                                                                                     |
| <b>GMIL01</b>          | 55                                                                                                  | Tray                                                                                                 | 24                              | 42         | 12      | 24                                                                                     | 48                                                                                     |







**Gift & Promo**





# Gift & Promo

PORTACHIAVI  
Keychains / Porte-clefs

## IN226 - KEYLED 5

Portachiavi 5 LED  
5 LED Keychain  
Porte-clefs 5 LED

IN  
BLISTER

IN226



## IN228 - BOTTLE OPENER

Portachiavi LED con apribottiglie  
LED Keychain with bottle opener  
Porte-clefs LED avec ouvre bouteille

IN  
BLISTER

IN228



## IN390 - POCKET PANEL

Portachiavi 3 LED a ricarica solare  
Solar 3 LED Keychain  
Porte-clefs 3 LED solaire

IN  
BLISTER

IN390



## IN235 - KEYLED FANTASY

Portachiavi 3 LED  
3 LED Keychain  
Porte-clefs 3 LED

IN235



## IN236 - CANDY BOX

Portachiavi 1 LED  
1 LED Keychain  
Porte-clefs 1 LED

IN236



| COD.  |                |       |      |             |             |                     |                          |       |
|-------|----------------|-------|------|-------------|-------------|---------------------|--------------------------|-------|
| IN226 | 5 x 0,5W LED   | 6 Lm  | 2 m  | 9,5 ore/hrs | Focus Light | 17 ø x 69 mm        | 4 x LR44 Litio (include) | AL    |
| IN228 | 3 LED Standard | 10 Lm | 10 m | 3 ore       | Focus Light | 18ø x 76 mm         | 3 x LR44 (include)       | AL    |
| IN390 | 3 LED          | 6 Lm  | 2 m  | N/S         | Focus Light | 60/100 Xx35 x 10 mm | Litio 3,6V 400 mA        | ABS   |
| IN235 | 3 LED          | 6 Lm  | 2 m  | 21 ore/hrs  | Focus Light | 17 ø x 68 mm        | 3 x LR44 (include)       | Metal |
| IN236 | 1 LED          | 4 Lm  | 1 m  | 30 ore/hrs  | Focus Light | 16ø x 100 mm        | 4 x LR41 (include)       | AL    |
| GL001 | 1 LED          | 7 Lm  | 3 m  | 10 ore/hrs  | Focus Light | 200 x 25 mm         | 3 x LR44 (include)       | PS    |





# Gift & Promo

PORTACHIAVI  
Keychains / Porte-clefs

## GL001 - GLOWSTICK

GL001



Glow in the dark...

24 pcs  
DISPLAY

IN  
BLISTER



| Codice<br>Item<br>Code | Peso netto (g)<br> | Tipo di imballo<br> | Dimensioni singolo imballo (cm) |            |         |  Pz |  Pz |
|------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------------------------|------------|---------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|                        |                                                                                                       |                                                                                                        | Larghezza                       | Profondità | Altezza |                                                                                          |                                                                                          |
| IN226                  | 17                                                                                                    | Blister                                                                                                | 10,4                            | 3          | 8,4     | 12                                                                                       | 72                                                                                       |
| IN228                  | 30                                                                                                    | Blister                                                                                                | 10,4                            | 3          | 8,4     | 12                                                                                       | 96                                                                                       |
| IN236                  | 16                                                                                                    | Display 24 pz                                                                                          | 12,5                            | 11,5       | 14,5    | 30                                                                                       | 240                                                                                      |
| IN235                  | 28                                                                                                    | Display 24 pz                                                                                          | 17                              | 12         | 7       | 24                                                                                       | 288                                                                                      |
| IN390                  | 20                                                                                                    | Blister                                                                                                | 16,5                            | 11,2       | 1,4     | 12                                                                                       | 96                                                                                       |
| GL001                  | 39                                                                                                    | Display 24 pz                                                                                          | 27                              | 12         | 26,5    | 24                                                                                       | 72                                                                                       |





 **VETECH**

***Tutto per  
l'automazione  
della casa***

## STAZEXT01 - TOTAL METEO

Stazione meteo con sonda esterna  
Indoor and outdoor weather station  
Station météo avec sonde extérieur

### STAZEXT01



**Descrizione**  
1 unità: funziona con 2 x AAA (non incluse).  
1 sonda esterna wireless: funziona con 2 x AAA (non incluse)  
Distanza max tra unità centrale e sonda esterna: 30 mt  
**Funzioni:**

- Visualizzazione delle temperature (in C° o F°) interne ed esterne (da -9°C a +50°C).
- Orologio con formato ora 12 o 24 ore.
- Sveglia con funzione ripetizione
- Registrazione dei valori minimi e massimi delle temperature interne ed esterne.

**Description:**  
Indoor unit: works with 2 x AAA (not included)  
Outdoor unit: works with 2 x AAA (not included)  
Max. distance between the units: 30mt  
**Features:**

- Indoor and outdoor temperature (C° or F°, -9°C up to +50°C)
- 12/24 format clock
- Alarm with snooze
- Record of the maximal and minimal indoor and outdoor temperature

**Description:**  
Unité principale: fonctionne avec 2 x AAA (non fournies)  
Unité extérieure: fonctionne avec 2 x AAA (non fournies)  
Distance maximale entre les deux unités: 30 mètres  
**Fonctions:**

- Températures intérieure et extérieure (C° ou F°, de -9°C à +50°C)
- Horloge format 12/24 heures
- Réveil avec fonction répétition
- Enregistrement des températures intérieures et extérieures maximales et minimales

| COD.      |                   |               |                            |     |
|-----------|-------------------|---------------|----------------------------|-----|
| STAZEXT01 | Unità principale: | 73 x 123 x 22 | 2 x AAA/LR03 (non incluse) | ABS |
|           | Sonda:            | 60 x 96 x 27  | 2 x AAA/LR03 (non incluse) |     |

## THERM01 - COSY METEO

Stazione meteo da interno  
Indoor weather station  
Station météo d'intérieur

### THERM01



**Descrizione**  
Funziona con 2 x AAA non incluse.

**Funzioni:**

- Visualizzazione delle temperature (in C° o F°, -9°C a +50°C)
- Orologio con formato ora 12 o 24 ore.
- Calendario
- Sveglia con funzione ripetizione
- Umidità interna (20%-90%)
- Registrazione dei valori minimi e massimi delle temperature e dell'umidità
- Tendenza temperatura e umidità

**Description:**  
Indoor unit: works with 2 x AAA (not included)

**Features:**

- Temperature (C° or F°, -9°C up to +50°C)
- 12/24 format clock
- Calendar
- Alarm with snooze
- Indoor humidity (20%-90%)
- Record of the maximal and minimal temperature and humidity
- Humidity and temperature trend

**Description:**  
Unité principale: fonctionne avec 2 x AAA (non fournies)

**Fonctions:**

- Températures intérieure (C° ou F°, de -9°C à +50°C)
- Horloge format 12/24 heures
- Calendrier
- Réveil avec fonction répétition
- Humidité intérieure (20%-90%)
- Enregistrement des températures maximales et minimales
- Tendances températures et humidité

| COD.    |                  |               |                            |     |
|---------|------------------|---------------|----------------------------|-----|
| THERM01 | Unità principale | 73 x 123 x 22 | 2 x AAA/LR03 (non incluse) | ABS |

## DOM001 - DOORBELL

Campanello senza fili a pile  
Battery operated wireless doorbell  
Carillon sans fil à piles



## DOM002 - DOORBELL

Campanello senza fili a pile  
Battery operated wireless doorbell  
Carillon sans fil à piles



## MS004 - VIGIL

Rilevatore di movimento 2 funzioni  
2 functions motion detector  
Détecteur de mouvements 2 fonctions



| COD.                                                         | DOM001                                                             | DOM002                                                             | MS004                          |
|--------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------|
| <b>Alimentazione</b> / Power supply / Alimentation           | Campanello: 2 x AA (non fornite)<br>Pulsante: 1 x CR2032 (fornita) | Campanello: 2 x AA (non fornite)<br>Pulsante: 1 x CR2032 (fornita) | 9 V o adattatore (non incluso) |
| <b>Melodie</b> / Melodies / Mélodies                         | 25                                                                 | 36                                                                 | -                              |
| <b>Raggio d'azione</b> / Detection range / Rayon d'action    | 100 m                                                              | 80 m                                                               | 8 m                            |
| <b>Apertura focale</b> / Angle / Angle                       |                                                                    |                                                                    | 140°                           |
| <b>Dimensioni prodotto</b> / Product dimensions / Dimensions | 66 x 95 x 30 mm                                                    | 90 x 92 x 24 mm                                                    | 55 x 78 x 62 mm                |
| <b>Materiale</b> / Material / Matériau                       | ABS                                                                | ABS                                                                | ABS                            |
| <b>IP</b>                                                    | IP44 (bottone/button)                                              | IP44 (bottone/button)                                              | IP20                           |

DOM001



DOM002



MS004





## ALAM4 - MINIALARM

Set 4 allarmi magnetici per porte e finestre

4 magnetic alarms for doors and windows

Kit de 4 mini alarmes magnétiques pour portes et fenêtres

### ALAM4



| COD.  |                                       |                    |     |
|-------|---------------------------------------|--------------------|-----|
| ALAM4 | Singola unità(x4):<br>42 x 62 x 25 mm | 3 x LR44 (include) | ABS |

I mini allarmi magnetici VETECH servono ad avvertire un' intrusione. I contatti si fissano (con adesivo) sulla finestra o porta (infisso o sul vetro) della stanza da proteggere e fanno scattare l'allarme da 90dB appena entra un intruso. Ideale per case, ville, appartamenti, camper, caravan, negozi, ecc.

3 pile LR44 incluse

VETECH mini alarms are perfect to prevent an intrusion. The magnetic contacts must be stuck on the window or the door you want to protect (the double sided tape is included): the 90dB alarm will sound as soon an intruder will try to step in opening the door/window. Perfect for homes, villas, camper, stores etc... 3 LR44 batteries included.

Les mini alarmes magnétiques VETECH sont parfaites pour prévenir une intrusion. Les contacts magnétiques se fixent sur les montants de la porte ou de la fenêtre à protéger (scotch double face inclus): la puissante alarme de 90dB sonnera dès qu'un intrus essaiera d'ouvrir la porte ou la fenêtre. Parfaites pour les maisons, les appartements, les camping cars, les magasins etc...

## ALAPIR - MINIALLARME

Allarme con sensore di movimento

PIR motion sensor alarm

Mini système d'alarme avec détecteur de mouvements à infrarouges

### ALAPIR



Mini allarme munito di rilevatore di movimento ad infrarossi e sirena: scatterà non appena verrà rilevato un movimento nella zona protetta. E' possibile usarlo semplicemente appoggiato o fissato a muro tramite la staffa fornita. Grazie ai telecomandi in dotazione può essere attivato e disattivato comodamente a distanza.

Rilevazione dei movimenti: fino a 6 metri .

Angolo di rilevazione: 90 °. Alimentazione: 4 pile Stilo AA (non incluse)

2 telecomandi con pile forniti.

Mini alarm system with motion detector PIR and siren: it will sound as soon as a movement will be detected in the protected area. It can be installed on a table for instance or fixed on the wall using the bracket (included). Easy to use: it can be activated / deactivated by remote control (2 pieces included). Movements are detected up to 6mt. Detection angle: 90°. Power supply: 4 x AA LR6 (not included) 2 remote controls with batteries included.

Mini système d'alarme avec détecteur de mouvement à infrarouges et sirène: il se déclanchera dès qu'un mouvement sera détecté dans la zone protégée. Le système peut être simplement posé sur un meuble ou une table (par exemple) ou bien fixé au mur en utilisant le support fourni. L'activation / désactivation du système est très simple et se fait par l'intermédiaire des deux télécommandes fournies. Détection des mouvements jusqu'à 6 mt et dans un angle de 90°. Alimentation par 4 piles AA LR6 non fournies. 2 télécommandes avec piles fournies.

| COD.   |                                      |                                     |                                                  |     |
|--------|--------------------------------------|-------------------------------------|--------------------------------------------------|-----|
| ALAPIR | Unità principale<br>Telecomando (2x) | 87 x 123 x 50 mm<br>35 x 67 x 16 mm | 4 x AA / LR6 (non include)<br>3 x LR44 (include) | ABS |

## TELEFIN1 - SILVER EYE

Finta videocamera di sorveglianza  
Dummy security camera  
Camera de surveillance factice

### TELEFIN1



La finta videocamera di sorveglianza VETECH SILVER EYE è una perfetta imitazione di una telecamera professionale. Di facile installazione, non richiede cablaggi. E munita di un LED luminoso rosso che ne simula il funzionamento. Funziona con 2 pile AA LR6 (non fornite). Viteria inclusa

VETECH SILVER EYE dummy camera is a perfect imitation of a professional camera. Easy to install: no wire needed! A red LED will simulate the working of the camera. Works with 2 xAA LR6 batteries (not included) Installation screws included.

La caméra de surveillance factice VETECH SILVER EYE est une parfaite imitation d'une caméra de surveillance professionnelle. Facile à installer elle ne demande aucun câblage. Fonctionne avec 2 piles AA LR6 (non fournies). Vis incluses.

| COD.     |                   |                          |     |
|----------|-------------------|--------------------------|-----|
| TELEFIN1 | 80 x 160 x 220 mm | 2 x AA/LR6 (non include) | ABS |

## TELEFIN2 - DOME

Finta videocamera di sorveglianza  
Dummy security camera  
Camera de surveillance factice

### TELEFIN2



La finta videocamera di sorveglianza VETECH DOME è una perfetta imitazione di una telecamera professionale. Di facile installazione, non richiede cablaggi. E munita di un LED luminoso rosso che ne simula il funzionamento. Funziona con 2 pile AA LR6 (non fornite). Viteria inclusa

VETECH DOME dummy camera is a perfect imitation of a professional camera. Easy to install: no wire needed! A red LED will simulate the working of the camera. Works with 2 xAA LR6 batteries (not included) Installation screws included.

La caméra de surveillance factice VETECH DOME est une parfaite imitation d'une caméra de surveillance professionnelle. Facile à installer elle ne demande aucun câblage. Fonctionne avec 2 piles AA LR6 (non fournies). Vis incluses.

| COD.     |              |                          |     |
|----------|--------------|--------------------------|-----|
| TELEFIN2 | ø117 x 73 mm | 2 x AA/LR6 (non include) | ABS |



## REPEL1- MOSQUITO STOP

Dispositivo antizanzare  
Mosquito repellent plug-in  
Prise anti-mosquito

### REPEL1



La presa elettrica antizanzare VETECH agisce tramite ultrasuoni che allontanano le zanzare femmine prime responsabili delle punture. Non emette nessuna sostanza chimica né odore. Totalmente innocuo per il corpo umano. Grazie al suo formato compatto può essere inserito ovunque. Ridotto consumo di energia.

The VETECH ultrasonic mosquito repellent plugin works using ultrasound technology disturbing the female mosquitoes which are responsible for the bites. The device does not emit chemicals or odours. Totally safe for human body. Low power consumption

La prise anti moustiques VETECH émet des ultrasons inaudibles qui dérangent et éloignent les moustiques femelles, premières responsables des piqûres. L'appareil n'émet aucunes substances chimiques ou odeurs. Totallement inoffensif pour le corps humain. Ses dimensions réduites la rendent facile à utiliser de partout. Faible consommations d'électricité.

| COD.    |              |            |     |
|---------|--------------|------------|-----|
| REPEL01 | 43 x 65 x 62 | 230V~ 50Hz | ABS |

| Codice<br>Item<br>Code | Peso netto (g)<br>                 | Tipo di imballo<br> | Dimensioni singolo imballo (cm) |            |         | Pz | Pz |
|------------------------|------------------------------------|---------------------|---------------------------------|------------|---------|----|----|
|                        |                                    |                     | Larghezza                       | Profondità | Altezza |    |    |
| TELEFIN1               | 233                                | Blister             | 15,25                           | 8          | 31,75   | 6  | 48 |
| TELEFIN2               | 105                                | Blister             | 15,25                           | 7          | 20      | 6  | 48 |
| ALAM4                  | 140                                | Blister             | 15,25                           | 3          | 20      | 6  | 48 |
| ALAPIR                 | 175                                | Blister             | 15,25                           | 7          | 20      | 6  | 48 |
| STAZEXT01              | 134                                | Blister             | 15,25                           | 2,7        | 31,75   | 6  | 48 |
| THERM01                | 83                                 | Blister             | 15,25                           | 2,2        | 20      | 6  | 48 |
| DOM001                 | 191gr campanello/pulsantiera 140gr | Blister             | 15,25                           | 2,2        | 20      | 6  | 48 |
| DOM002                 | 191gr campanello/pulsantiera 140gr | Blister             | 15,25                           | 2,2        | 20      | 6  | 48 |
| REPEL01                | 28                                 | Blister             | 10                              | 7          | 20      | 6  | 48 |







# Batteries



# Batteries

ZINCO CARBONE  
Zinc-carbon / Zinc-Carbone



| COD.     | FORMATO              | TECNOLOGIA    | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo |    |     |
|----------|----------------------|---------------|---------------|--------------|---------------|----------------|-----------------|----|-----|
| R03/4BP  | AAA/MINISTILO/R03    | Zinco-Carbone | 1,5           | 4,4          | 1,2           | 8              | Blister 4 pz    | 12 | 144 |
| R6/4BP   | AA/STILO/R6          | Zinco-Carbone | 1,5           | 4,9          | 1,3           | 15             | Blister 4 pz    | 12 | 144 |
| R14/2BP  | C/1/2 TORCIA/R14     | Zinco-Carbone | 1,5           | 4,9          | 2,5           | 44             | Blister 2 pz    | 12 | 120 |
| R20/2BP  | D / TORCIA/R20       | Zinco-Carbone | 1,5           | 6            | 3,2           | 89             | Blister 2 pz    | 10 | 60  |
| 6F22/1BP | 9V / TRANSISTOR/6F22 | Zinco-Carbone | 9             | 4,8          | 2,5 x 1,7     | 42             | Blister 1 pz    | 12 | 144 |
| 3R12/1BP | 3R12 / PIATTA/3R12   | Zinco-Carbone | 4,5           | 6,3          | 6,2 x 2,1     | 62             | Blister 1 pz    | 10 | 120 |
| 3R8C     | 3R8                  | Zinco-Carbone | 4,5           | 5,5          | 4,6 x 1,4     | 50             | Blister 1 pz    | 5  | 50  |

R03/4BP



R6/4BP



R14/2BP



R20/2BP



6F22/1BP



3R12/1BP



4R25-2



4R25-2




4R25/1B




4R25/1B




| COD.    | FORMATO | TECNOLOGIA    | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo |      |   | Peso   |
|---------|---------|---------------|---------------|--------------|---------------|----------------|-----------------|------|---|--------|
| 4R25-2  | -       | Zinco-Carbone | 6V            | 12           | 13,2 x 6,7    | 958            | Shrink 1 pz     | 3 pz | - | 6 Kg   |
| 4R25/1B | -       | Zinco-Carbone | 6V            | 4,7          | 1,7 x 2,5     | 460            | Shrink 1 pz     | 6 pz | - | 3,3 Kg |




LR03/4BP



LR6/4BP



LR14/2BP



LR20/2BP



6LR61/1BP



3LR12/1BP

| COD.      | FORMATO               | TECNOLOGIA | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo |    |     |
|-----------|-----------------------|------------|---------------|--------------|---------------|----------------|-----------------|----|-----|
| LR03/4BP  | AAA/MINISTILO/LR03    | Alkaline   | 1,5           | 4,4          | 1,2           | 11             | Blister 4 pz    | 12 | 144 |
| LR6/4BP   | AA/STILO/LR6          | Alkaline   | 1,5           | 5            | 1,4           | 24             | Blister 4 pz    | 12 | 144 |
| LR14/2BP  | C/1/2 TORCIA/LR14     | Alkaline   | 1,5           | 4,9          | 2,5           | 73             | Blister 2 pz    | 12 | 72  |
| LR20/2BP  | D /TORCA/LR20         | Alkaline   | 1,5           | 6            | 3,2           | 141            | Blister 2 pz    | 10 | 60  |
| 6LR61/1BP | 9V / TRANSISTOR/6LR61 | Alkaline   | 9             | 4,8          | 2,5 x 1,7     | 47             | Blister 1 pz    | 12 | 144 |
| 3LR12/1BP | 3R12 / PIATTA/3LR12   | Alkaline   | 4,5           | 6,3          | 6,2 x 2,1     | -              | Blister 1 pz    | 10 | 120 |
| LR23A     | 12V/TELECOMANDO/23A   | Alkaline   | 12            | 2,8          | 1             | 8              | Blister 1 pz    | 12 | 120 |

LR03/4BP



LR6/4BP



LR14/2BP



LR20/2BP



6LR61/1BP




3LR12/1BP



LR23A

LR23A



LR44

LR44



| COD.  | FORMATO             | TECNOLOGIA | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo |    |      |
|-------|---------------------|------------|---------------|--------------|---------------|----------------|-----------------|----|------|
| LR23A | 12V/TELECOMANDO/23A | Alkaline   | 12            | 2,8          | 1             | 8              | Blister 1 pz    | 12 | 144  |
| LR44  | LR44                | Alkaline   | 1,5           | 0,5          | 1,1           |                | Blister 2 pz    | 50 | 1000 |



# Batteries

SOLUZIONI PER IL PUNTO VENDITA  
Store solution / Solutions pour le point de vente



LR03/20



LR6/16



| COD.    | FORMATO            | TECNOLOGIA | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo          |   |   |
|---------|--------------------|------------|---------------|--------------|---------------|----------------|--------------------------|---|---|
| LR03/20 | AAA/MINISTILO/LR03 | Alkaline   | 1,5           | 4,4          | 1,2           | 11             | Blister in display 20 pz | 1 | 4 |
| LR6/16  | AA/STILO/LR6       | Alkaline   | 1,5           | 5            | 1,4           | 24             | Blister in display 16 pz | 1 | 4 |



**AA  
PROMO  
PACK 12**

LR03/12

LR03/12



**AAA  
PROMO  
PACK 12**

LR6/12

LR6/12



| COD.    | FORMATO            | TECNOLOGIA | VOLTAGGIO (V) | ALTEZZA (cm) | DIAMETRO (cm) | Peso netto (g) | Tipo di imballo |   |     |
|---------|--------------------|------------|---------------|--------------|---------------|----------------|-----------------|---|-----|
| LR03/12 | AAA/MINISTILO/LR03 | Alkaline   | 1,5           | 4,4          | 1,2           | 11             | Shrink 12 pz    | 6 | 120 |
| LR6/12  | AA/STILO/LR6       | Alkaline   | 1,5           | 5            | 1,4           | 24             | Shrink 12 pz    | 6 | 120 |



LT03/2P



LT6/2P



CR123A

| COD.    | FORMATO            | TECNOLOGIA | VOLTAGGIO (V) | ALTEZZA (mm) | DIAMETRO (mm) | Peso netto (g) | Tipo di imballo |    |     |
|---------|--------------------|------------|---------------|--------------|---------------|----------------|-----------------|----|-----|
| LT03/2P | AAA/MINISTILO/LT03 | Litio      | 1,5           | 44           | 10            | 13             | Blister 2 pz    | 12 | 144 |
| LT6/2P  | AA/STILO/LR6       | Litio      | 1,5           | 50           | 14            | 15             | Blister 2 pz    | 12 | 144 |
| CR123A  | 123A               | Litio      | 3             | 34,5         | 16,8          | 16             | Blister 1 pz    | 12 | 324 |

LT03/2P



LT6/2P




CR123A



## LITIO A BOTTONNE


Lithium Button cell / Lithium



| COD.   | FORMATO     | TECNOLOGIA | VOLTAGGIO (V) | CAPACITA' mAh | DIAMETRO (mm) | Peso netto (g) | Confezione   |    |      | EAN           |
|--------|-------------|------------|---------------|---------------|---------------|----------------|--------------|----|------|---------------|
| CR1216 | Button cell | Litio      | 3             | 25            | 12            |                | Blister 1 pz | 10 | 50   | 8003910900806 |
| CR1220 | Button cell | Litio      | 3             | 38            | 12            |                | Blister 1 pz | 50 | 1000 | 8003910900813 |
| CR1616 | Button cell | Litio      | 3             | 50            | 16            |                | Blister 1 pz | 50 | 1000 | 8003910900820 |
| CR1620 | Button cell | Litio      | 3             | 70            | 16            |                | Blister 1 pz | 50 | 1000 | 8003910900837 |
| CR1632 | Button cell | Litio      | 3             | 120           | 16            |                | Blister 1 pz | 50 | 1000 | 8003910900844 |
| CR2016 | Button cell | Litio      | 3             | 75            | 20            |                | Blister 1 pz | 50 | 1000 | 8003910900851 |
| CR2025 | Button cell | Litio      | 3             | 150           | 20            |                | Blister 1 pz | 50 | 1000 | 8003910900868 |
| CR2032 | Button cell | Litio      | 3             | 210           | 20            |                | Blister 1 pz | 50 | 1000 | 8003910900875 |
| CR2430 | Button cell | Litio      | 3             | 270           | 24            |                | Blister 1 pz | 50 | 1000 | 8003910900882 |
| CR2450 | Button cell | Litio      | 3             | 600           | 24            |                | Blister 1 pz | 50 | 1000 | 8003910900899 |

# Batteries

RICARICABILI  
Rechargeable / Rechargeable



HR03/4BP



HR6-2000/4BP



HR6-2600/2BP

| COD.         | FORMATO           | TECNOLOGIA | VOLTAGGIO (V) | CAPACITA' (MAh) | ALTEZZA (mm) | DIAMETRO (mm) | Peso netto (g) | Tipo di imballo |  |     |
|--------------|-------------------|------------|---------------|-----------------|--------------|---------------|----------------|-----------------|--|-----|
| HR03/4BP     | AAA/MINISTILO/R03 | Ni-Mh      | 1,5           | 1000            | 4,4          | 1             | 12             | Blister 4 pz    |  | 100 |
| HR6-2000/4BP | AA/STILO/R6       | Ni-Mh      | 1,5           | 2000            | 5            | 1,6           | 30             | Blister 4 pz    |  | 120 |
| HR6-2600/2BP | AA/STILO/R6       | Ni-Mh      | 1,5           | 2600            | 5            | 1,6           | 30             | Blister 2 pz    |  | 120 |

HR03/4BP



HR6-2000/4BP



HR6-2600/2BP



## TESTER PER BATTERIE

Battery Tester / Testeur de piles



CBT04



### CBT04

Mini tester per batterie  
Small battery tester  
Testeur de piles

Il testa batterie VELAMP è stato concepito per le pile o batterie di formato AA/LR6 e AAA/LR03. Il livello di carica della pila o della batteria è dato dall'intensità di luminosità del LED rosso che si accenderà non appena la pila/batteria sarà stata inserita. Se il LED rosso non si accende significa che la pila/batteria è scarica.

The VELAMP battery tester is designed for testing AA/LR6 and AAA/LR03 batteries. The charge level of the battery is given by the intensity of the red LED that will switch on as soon as the battery is inserted in the tester. If the red LED does not light on or gives low light it means the battery must be replaced.

Le testeur de piles VELAMP est prévu pour tester les piles de types AA/LR6 et AAA/LR03. Le niveau de charge de la pile est donné par le niveau d'intensité de la LED rouge qui se trouve sur le testeur et qui l'allume dès que la pile est insérée dans ce dernier. (Lumière forte = Pile bonne/ Lumière faible = Pile à changer)



| COD.  | FORMATO | (cm)   | (g) | Tipo di imballo | Imballo (cm) |    |    |
|-------|---------|--------|-----|-----------------|--------------|----|----|
| CBT04 | AA-AAA  | 11 x 5 | 24  | Blister         | 10 x 3 x 8,5 | 12 | 96 |



## CBT01

Caricatore universale 2 canali. Ricarica le batterie Ni-MH e Ni-Cd AA, AAA e 9V.  
Universal 2 channels battery charger. Charges Ni-MH and Ni-Cd batteries, AA, AAA and 9V.  
Chargeur de batteries universel 2 canaux. Charge les batteries Ni-MH et Ni-Cd, AA, AAA and 9V.

CBT01



## CBT02

Carica batterie Ricarica le batterie Ni-MH e Ni-Cd AA, AAA.  
4 x AA 2300 mAh incluse  
Battery charger. Charges Ni-MH and Ni-Cd batteries, AA, AAA.  
4 x AA 2300 mAh included  
Chargeur de batterie. Charge les batteries Ni-MH et Ni-Cd, AA, AAA.  
4 x AA 2300 mAh incluses

CBT02



## CBT03

Carica batterie. 2 x AA 2600 mAh - 2 x AAA 1000 mAh incluse. Trasformatori 220V e 12V inclusi  
Battery charger. 2 x AA 2600 mAh - 2 x AAA 1000 mAh included. 220V and 12V transformers included.  
Chargeurs de batterie. 2 x AA 2600 mAh - 2 x AAA 1000 mAh incluse. Transformateurs 220V et 12V inclus

CBT03



| COD.  | FORMATO       | (cm)             | Peso netto (g)<br> | Tipo di imballo<br> | blister (cm)      |   |    |
|-------|---------------|------------------|--------------------|---------------------|-------------------|---|----|
| CBT01 | AA - AAA - 9V | 11 x 6,5         | 147                | Blister             | 11,4 x 7,6 x 20,5 | 6 | 48 |
| CBT02 | AA - AAA      | 4,5 x 10,8 x 8,5 | 131                | Blister             | 11,6 x 9,2 x 26,3 | 6 | 24 |
| CBT03 | AA - AAA      | 7 x 3,1 x 11     | 124                | Blister             | 15 x 7,5 x 24,5   | 6 | 24 |
| CBS01 | AA - AAA      | 6 x 14,5 x 3     | 157                | Blister             | 12,5 x 5 x 23     | 4 | 24 |

## CBS01

Caricabatterie 2 x AA/AAA a energia solare  
Pannello solare monocristallino 5,5 V 120 mA • Torcia 1 SuperLED 0,25 W alta luminosità 18.000 mcd (Classe 2) con funzione luce fissa e luce intermittente • Corpo in materiale "soft-touch" antiscivolo • Può fornire una ricarica di emergenza per i telefoni cellulari delle marche Nokia\*, Samsung\*, Sony-Ericsson\*, Motorola\* nei modelli compatibili con gli adattatori in dotazione.  
• Può fornire una ricarica di emergenza per lettori MP3, PDA, iPod (mini USB) • 2 x AAA Ni-Mh ricaricabili 1000 mAh (inCLUSE)

2 x AA / AAA solar battery charger  
Monocrystalline solar panel 5,5 V 120 mA • LED Torch: 1 high brightness 0.25 W SuperLED • 18.000 mcd (Class 2) • Double function: fix or flashing light • "Soft-Touch" rubber finish body • Can charge mobile phones Nokia\*, Samsung\*, Sony-Ericsson\*, Motorola\* with provided adapters • Can charge MP3 players, PDA, iPod (mini USB) • 2 x AAA Ni-Mh rechargeable batteries 1000 mAh included

Chargeur de batteries solaire

Ce chargeur est équipé d'une Ampoule LED de forte puissance (Classe 2) fonctionnant en mode fixe ou clignotant •

Boîtier ABS et finition caoutchouc • Possibilité de charger les GSM de marques NOKIA/SAMSUNG/SONY-ERICSSON/MOTOROLA avec les adaptateurs fournis • Possibilité de charger les MP3/PDA/IPOD (mini USB) • Batteries rechargeables incluses

CBS001



# Batteries

BATTERIE AL PIOMBO RICARICABILI  
Rechargeables lead acid batteries / Batteries au plomb rechargeables



| COD.  | FORMATO    | TECNOLOGIA | (cm)             | Peso netto (g) | Tipo di imballo |   |     |
|-------|------------|------------|------------------|----------------|-----------------|---|-----|
| 23720 | 6V 1,3 Ah  | Pb         | 9,7 x 2,4 x 5,9  | 265            | Shrink          | 1 | 20  |
| 23721 | 4V 2 Ah    | Pb         | 3,5 x 6,3 x 2,2  | 94             | Shrink          | 1 | 208 |
| 23722 | 6V 4 Ah    | Pb         | 7,1 x 4,8 x 10,6 | 700            | Shrink          | 1 | 20  |
| 23723 | 12V 1,3 Ah | Pb         | 9,8 x 4,4 x 5,8  | 500            | Shrink          | 1 | 20  |
| 23724 | 12V 2,2 Ah | Pb         | 15 x 6,5 x 10    | 850            | Shrink          | 1 | 20  |
| 23726 | 6V 7Ah     | Pb         | 15,1 x 3,4 x 9,4 | 1000           | Shrink          | 1 | 10  |
| 23728 | 12V 7 Ah   | Pb         | 17,8 x 3,5 x 6,7 | 2020           | Shrink          | 1 | 20  |

23720



23722



23723



23726



23724



23728



23721



MULTIMETRI DIGITALI  
Digital multimeter / Multimetre digital

## DMT800 - DIGITOP

Multimetro digitale 8 in 1  
8 in 1 Digital multimeter  
Multimetre digital 8 en 1



DMT800



## DMT800MINI - MINI DIGITOP

Multimetro digitale 8 in 1  
8 in 1 Digital multimeter  
Multimetre digital 8 en 1



DMT800MINI





## AU001 - STABILIZED UNIVERSAL TRANSFORMER 600mA

Trasformatori universali  
Universal transformer  
Transformateur universel

AU001



## AU002 - STABILIZED UNIVERSAL TRANSFORMER 1000mA

Trasformatori universali  
Universal transformer  
Transformateur universel

AU002



| COD.  | FORMATO | (cm)      | (g) | Tipo di imballo<br>/ | Imballo (cm)  |    |    |
|-------|---------|-----------|-----|----------------------|---------------|----|----|
| AU001 | 600 mA  | 6,5 x 6,5 | 105 | Blister              | 10 x 7 x 20   | 20 | 40 |
| AU002 | 1000 mA | 7,5 x 7,5 | 150 | Blister              | 10 x 7,5 x 20 | 20 | 40 |

## CERCAFASE

Voltage tester / Testeur de voltage

## CF001 - VOLTAGE TESTER XL

Cercafase 140mm  
Voltage tester  
Testeur de voltage

CF001



## CF002 - VOLTAGE TESTER XXL

Cercafase 190 mm  
Voltage tester  
Testeur de voltage

CF002



| COD.  | FORMATO | (mm) | (g) | Tipo di imballo<br>/ | Imballo (cm)   |    |     |
|-------|---------|------|-----|----------------------|----------------|----|-----|
| CF001 | XL      | 140  | 14  | Blister              | 6 x 1,9 x 18   | 12 | 288 |
| CF002 | XXL     | 190  | 25  | Blister              | 7,5 x 1,9 x 24 | 12 | 288 |





# Expo

ESPOSITORI  
Display / Présentoirs



| Modello/Model/Modèle | Dimensioni/Sizes/Dimensions: cm |
|----------------------|---------------------------------|
| VE000008 x 6         | 70 x 32 x 29                    |



| Modello/Model/Modèle | Dimensioni/Sizes/Dimensions: cm |
|----------------------|---------------------------------|
| PALBOX 1 vassoio     | 60 X 40 X 30(H)                 |
| PALBOX 5 vassoi      | 60 X 40 X 150(H)                |

---

This image shows a full page of blank, lined paper. It features approximately 30 evenly spaced horizontal grey lines across its entire width, providing a guide for handwriting or typing. The background is a clean, solid white color. There are no margins, text, or other markings present on the page.

